




Terminal marking - MARKING system

Large-surface and clear marking of terminal strips is essential for quick and error-free wiring of terminal strips. This is also true for the maintenance and startup of control cabinets and systems.

Terminal markers from Phoenix Contact are optimally adapted to the terminals and are available marked or unmarked in card, roll or sheet format.

Product range overview

Terminal marking 56

UniCard UC-TM... terminal marking

For a tall marker groove	58
For a flat marker groove	62

ZB... zack marker strip terminal marking

For a tall marker groove	68
For a flat marker groove	76

UniCard UCT-TM... terminal marking

For a tall marker groove	82
For a flat marker groove	86

UniSheet US-TM... terminal marking

For a universal marker groove	90
For a flat marker groove	91

TMT... terminal marking supplied in rolls

Marker strips for tall and flat marker grooves	94
--	----

TML... terminal marking supplied in rolls

Self-adhesive markers for terminal blocks without marker groove	98
---	----

SK... terminal marking supplied as card material

Self-adhesive markers for terminal blocks without marker groove	100
---	-----

Group marker labels and warning labels 108

Overview of terminal marking for Phoenix Contact 112


The right marking solution for every terminal

Terminal marking for terminal blocks from other manufacturers 118

Overview of terminal marking for other manufacturers 140

Phoenix Contact offers the right marking solution for every terminal

Ordering example for labeling service - printed for you 359



Those involved in control cabinet and system engineering are required to ensure meaningful labeling of electrical connecting elements and control cabinet components. As with comprehensive documentation, precise labeling of all terminal points makes it easier to set up and maintain the systems concerned. EN 60204-1/VDE 0113 Part 1 stipulates requirements concerning consistent system labeling and, therefore, for ensuring that it matches the technical documentation.


Various marking materials are available for labeling Phoenix Contact terminal blocks. The labeling strips can be easily separated by hand, and their special geometry ensures that the labeling remains in place even in the event of impact and vibration in machines and vehicles.

The terminal markers are available in strips or sheets and with or without labeling in accordance with customer requirements. Depending on the version, unlabeled terminal markers can be labeled using the various printing systems available from Phoenix Contact.


- Markers in UniCard format can be quickly and reliably labeled using the new BLUE-MARK CLED printer
- Markers in UniSheet format can be quickly and reliably labeled using the new THERMOMARK CARD printer
- Material off the roll has been specially developed for labeling using thermal transfer printers, e.g., from the new THERMOMARK LINE series from Phoenix Contact
- Zack marker strips are ideal for labeling with the plotter, but can also be labeled directly by hand.

All marking systems are characterized by their high resolution and excellent wipe resistance.


Various marking labels are available for labeling terminal block groups in addition to the labeling of the actual terminal points. These are snapped into the marking grooves of terminal blocks. Details of group marking products that can be fixed to end brackets can be found in the chapter titled Mounting material starting on page 483.




Markers are available in the UniCard and UniSheet formats for the labeling of terminal blocks with a tall marker groove. They can be supplied unprinted or printed in accordance with customer requirements.




Markers are available in the UniCard and UniSheet formats for terminal blocks, modules, and connectors with a flat marker groove. They can be supplied unprinted or printed in accordance with customer requirements.




Miniature terminal blocks/transformer terminal blocks have neither a tall nor a flat marker groove. Special markers are available in UniCard format for the purpose of labeling such terminal blocks.




The universal marker groove can be labeled with markers in UniSheet format. These are available unprinted or printed in accordance with customer requirements.




10-section zack marker strips are available in tall and flat versions. They are used to mark modular terminal blocks, modules or connectors and can be supplied unprinted or printed.



Unlabeled zack marker strips can accommodate printed marker strips. Once printed, the self-adhesive strip is simply stuck onto the zack marker strip.



The marker strips can be used in both tall and flat marker grooves. They can be easily separated by hand since they are pre-perforated for the pitch.



Self-adhesive marker strips can be applied to all PCB terminal blocks and COMBICON plug-in connectors. They can be supplied printed on cards or unprinted on a roll.



Markers are available in both UniCard and UniSheet formats for labeling modular terminal blocks from other manufacturers.

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a tall marker groove

Can be printed with:




UV LED technology



Plotter



120 markers for a terminal block width of 4.2 mm



- The UC-TM ... UniCard labeling range includes markers for products with tall marker grooves
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The format automatically ensures printing with a high level of positional accuracy
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER

120

15

PA

V2

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Technical data

Ordering data

Description	Color
UniCard, for labeling terminal blocks with a marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard, for labeling terminal blocks with a marker groove, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	violet
	blue
	green

Type	Order No.	Pcs. / Pkt.
UC-TM 4	0818111	10
UC-TM 4 RD	0818250	10
UC-TM 4 OG	0818221	10
UC-TM 4 YE	0818234	10
UC-TM 4 VT	0819084	10
UC-TM 4 BU	0818247	10
UC-TM 4 GN	0818263	10
UC-TM 4 CUS	0824573	1
UC-TM 4 RD CUS	0824577	1
UC-TM 4 OG CUS	0824576	1
UC-TM 4 YE CUS	0824579	1
UC-TM 4 VT CUS	0824578	1
UC-TM 4 BU CUS	0824574	1
UC-TM 4 GN CUS	0824575	1

Accessories

Magazine, for CMS-P1-PLOTTER

P1 UC-MAG 1	5146079	1
-------------	---------	---





96 markers for a terminal block width of 5.2 mm



80 markers for a terminal block width of 6.2 mm



56 markers for a terminal block width of 8.2 mm

Technical data

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
96
12
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC-TM 5	0818108	10
UC-TM 5 RD	0818302	10
UC-TM 5 OG	0818276	10
UC-TM 5 YE	0818289	10
UC-TM 5 VT	0819107	10
UC-TM 5 BU	0818292	10
UC-TM 5 GN	0818315	10
UC-TM 5 CUS	0824581	1
UC-TM 5 RD CUS	0824585	1
UC-TM 5 OG CUS	0824584	1
UC-TM 5 YE CUS	0824587	1
UC-TM 5 VT CUS	0824586	1
UC-TM 5 BU CUS	0824582	1
UC-TM 5 GN CUS	0824583	1

Accessories

P1 UC-MAG 1	5146079	1
-------------	---------	---

Technical data

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
80
10
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC-TM 6	0818085	10
UC-TM 6 RD	0818357	10
UC-TM 6 OG	0818328	10
UC-TM 6 YE	0818331	10
UC-TM 6 VT	0819110	10
UC-TM 6 BU	0818344	10
UC-TM 6 GN	0818360	10
UC-TM 6 CUS	0824589	1
UC-TM 6 RD CUS	0824593	1
UC-TM 6 OG CUS	0824592	1
UC-TM 6 YE CUS	0824595	1
UC-TM 6 VT CUS	0824594	1
UC-TM 6 BU CUS	0824590	1
UC-TM 6 GN CUS	0824591	1

Accessories

P1 UC-MAG 1	5146079	1
-------------	---------	---

Technical data

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
56
7
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC-TM 8	0818072	10
UC-TM 8 RD	0818409	10
UC-TM 8 OG	0818373	10
UC-TM 8 YE	0818386	10
UC-TM 8 VT	0819123	10
UC-TM 8 BU	0818399	10
UC-TM 8 GN	0818412	10
UC-TM 8 CUS	0824597	1
UC-TM 8 RD CUS	0824601	1
UC-TM 8 OG CUS	0824600	1
UC-TM 8 YE CUS	0824603	1
UC-TM 8 VT CUS	0824602	1
UC-TM 8 BU CUS	0824598	1
UC-TM 8 GN CUS	0824599	1

Accessories

P1 UC-MAG 1	5146079	1
-------------	---------	---

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a tall marker groove

Can be printed with:




UV LED technology



Plotter



48 markers for a terminal block width of 10.2 mm



- The UC-TM ... UniCard labeling range includes markers for products with tall marker grooves
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The format automatically ensures printing with a high level of positional accuracy
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

1) For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER

48

6

PA

V2

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Technical data

Ordering data

Description	Color
UniCard, for labeling terminal blocks with a marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard, for labeling terminal blocks with a marker groove, labeled acc. to customer specifications ¹⁾	
	white
	white
	white
	white
	white
	white
	white
	white

Type	Order No.	Pcs. / Pkt.
UC-TM 10	0818069	10
UC-TM 10 RD	0818454	10
UC-TM 10 OG	0818425	10
UC-TM 10 YE	0818438	10
UC-TM 10 VT	0815936	10
UC-TM 10 BU	0818441	10
UC-TM 10 GN	0818467	10
UC-TM 10 CUS	0824605	1
UC-TM 10 RD CUS	0824609	1
UC-TM 10 OG CUS	0824608	1
UC-TM 10 YE CUS	0824611	1
UC-TM 10 VT CUS	0824610	1
UC-TM 10 BU CUS	0824606	1
UC-TM 10 GN CUS	0824607	1

Accessories

Magazine, for CMS-P1-PLOTTER

P1 UC-MAG 1	5146079	1
-------------	---------	---





40 markers for a terminal block width of 12 mm



32 markers for a terminal block width of 16 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
40
5
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TM 12	0819194	10
UC-TM 12 RD	0817701	10
UC-TM 12 OG	0817691	10
UC-TM 12 YE	0819204	10
UC-TM 12 VT	0822660	10
UC-TM 12 BU	0817785	10
UC-TM 12 GN	0817808	10
UC-TM 12 CUS	0824613	1
UC-TM 12 RD CUS	0824617	1
UC-TM 12 OG CUS	0824616	1
UC-TM 12 YE CUS	0824619	1
UC-TM 12 VT CUS	0824618	1
UC-TM 12 BU CUS	0824614	1
UC-TM 12 GN CUS	0824615	1

Accessories		
P1 UC-MAG 1	5146079	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
32
4
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen


Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TM 16	0819217	10
UC-TM 16 RD	0817798	10
UC-TM 16 OG	0817772	10
UC-TM 16 YE	0819220	10
UC-TM 16 VT	0822673	10
UC-TM 16 BU	0817769	10
UC-TM 16 GN	0817756	10
UC-TM 16 CUS	0824621	1
UC-TM 16 RD CUS	0824625	1
UC-TM 16 OG CUS	0824624	1
UC-TM 16 YE CUS	0824627	1
UC-TM 16 VT CUS	0824626	1
UC-TM 16 BU CUS	0824622	1
UC-TM 16 GN CUS	0824623	1

Accessories		
P1 UC-MAG 1	5146079	1

Terminal marking

UniCard terminal marking for a flat marker groove

Can be printed with:



UV LED technology



Plotter



120 markers for a terminal block width of 4.2 mm

- The UC-TMF ... UniCard labeling range includes markers for products with tall and flat marker grooves
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	


Technical data	
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER	
120	
15	
PA	
V2	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
UniCard, for labeling terminal blocks with a flat marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard, for labeling terminal blocks with a flat marker groove, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	violet
	blue
	green

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 4	0818166	10
UC-TMF 4 RD	0818506	10
UC-TMF 4 OG	0818470	10
UC-TMF 4 YE	0818483	10
UC-TMF 4 VT	0815897	10
UC-TMF 4 BU	0818496	10
UC-TMF 4 GN	0818519	10
UC-TMF 4 CUS	0824630	1
UC-TMF 4 RD CUS	0824634	1
UC-TMF 4 OG CUS	0824633	1
UC-TMF 4 YE CUS	0824636	1
UC-TMF 4 VT CUS	0824635	1
UC-TMF 4 BU CUS	0824631	1
UC-TMF 4 GN CUS	0824632	1

Magazine, for CMS-P1-PLOTTER

Accessories		
P1 UC-MAG 4	5146105	1





96 markers for a terminal block width of 5.2 mm



80 markers for a terminal block width of 6.2 mm



56 markers for a terminal block width of 8.2 mm

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
96		
12		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 5	0818153	10
UC-TMF 5 RD	0818551	10
UC-TMF 5 OG	0818522	10
UC-TMF 5 YE	0818535	10
UC-TMF 5 VT	0815907	10
UC-TMF 5 BU	0818548	10
UC-TMF 5 GN	0818564	10
UC-TMF 5 CUS	0824638	1
UC-TMF 5 RD CUS	0824642	1
UC-TMF 5 OG CUS	0824641	1
UC-TMF 5 YE CUS	0824644	1
UC-TMF 5 VT CUS	0824643	1
UC-TMF 5 BU CUS	0824639	1
UC-TMF 5 GN CUS	0824640	1
Accessories		
P1 UC-MAG 4	5146105	1

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
80		
10		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 6	0818140	10
UC-TMF 6 RD	0818603	10
UC-TMF 6 OG	0818577	10
UC-TMF 6 YE	0818580	10
UC-TMF 6 VT	0815910	10
UC-TMF 6 BU	0818593	10
UC-TMF 6 GN	0818616	10
UC-TMF 6 CUS	0824646	1
UC-TMF 6 RD CUS	0824650	1
UC-TMF 6 OG CUS	0824649	1
UC-TMF 6 YE CUS	0824652	1
UC-TMF 6 VT CUS	0824651	1
UC-TMF 6 BU CUS	0824647	1
UC-TMF 6 GN CUS	0824648	1
Accessories		
P1 UC-MAG 4	5146105	1

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
56		
7		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 8	0818137	10
UC-TMF 8 RD	0818658	10
UC-TMF 8 OG	0818629	10
UC-TMF 8 YE	0818632	10
UC-TMF 8 VT	0815923	10
UC-TMF 8 BU	0818645	10
UC-TMF 8 GN	0818661	10
UC-TMF 8 CUS	0824654	1
UC-TMF 8 RD CUS	0824658	1
UC-TMF 8 OG CUS	0824657	1
UC-TMF 8 YE CUS	0824660	1
UC-TMF 8 VT CUS	0824659	1
UC-TMF 8 BU CUS	0824655	1
UC-TMF 8 GN CUS	0824656	1
Accessories		
P1 UC-MAG 4	5146105	1

Marking and labeling - MARKING system


Terminal marking

UniCard terminal marking for a flat marker groove

Can be printed with:




UV LED technology



Plotter



48 markers for a terminal block width of 10.2 mm



- The UC-TMF ... UniCard labeling range includes markers for products with tall and flat marker grooves
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.

General data

Can be printed with:
Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
48
6
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description

Color

UniCard materials, for labeling terminal blocks with a flat marker groove

white
red
orange
yellow
violet
blue
green

UC-TMF 10
UC-TMF 10 RD
UC-TMF 10 OG
UC-TMF 10 YE
UC-TMF 10 VT
UC-TMF 10 BU
UC-TMF 10 GN

0818124
0818700
0818674
0818687
0815981
0818690
0818713

10
10
10
10
10
10
10

UniCard, for labeling terminal blocks with a flat marker groove, labeled acc. to customer specifications¹⁾

white
red
orange
yellow
violet
blue
green

UC-TMF 10 CUS
UC-TMF 10 RD CUS
UC-TMF 10 OG CUS
UC-TMF 10 YE CUS
UC-TMF 10 VT CUS
UC-TMF 10 BU CUS
UC-TMF 10 GN CUS

0824662
0824666
0824665
0824668
0824667
0824663
0824664

1
1
1
1
1
1
1

Accessories

Magazine, for CMS-P1-PLOTTER

P1 UC-MAG 4

5146105

1





40 markers for a terminal block width of 12 mm

32 markers for a terminal block width of 16 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 40 5 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 12	0819233	10
UC-TMF 12 RD	0817840	10
UC-TMF 12 OG	0817866	10
UC-TMF 12 YE	0819246	10
UC-TMF 12 VT	0822686	10
UC-TMF 12 BU	0817853	10
UC-TMF 12 GN	0817837	10
UC-TMF 12 CUS	0824670	1
UC-TMF 12 RD CUS	0824674	1
UC-TMF 12 OG CUS	0824673	1
UC-TMF 12 YE CUS	0824676	1
UC-TMF 12 VT CUS	0824675	1
UC-TMF 12 BU CUS	0824671	1
UC-TMF 12 GN CUS	0824672	1

Accessories		
P1 UC-MAG 4	5146105	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 32 4 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMF 16	0819262	10
UC-TMF 16 RD	0817824	10
UC-TMF 16 OG	0817811	10
UC-TMF 16 YE	0819259	10
UC-TMF 16 VT	0822699	10
UC-TMF 16 BU	0817905	10
UC-TMF 16 GN	0817921	10
UC-TMF 16 CUS	0824678	1
UC-TMF 16 RD CUS	0824682	1
UC-TMF 16 OG CUS	0824681	1
UC-TMF 16 YE CUS	0824684	1
UC-TMF 16 VT CUS	0824683	1
UC-TMF 16 BU CUS	0824679	1
UC-TMF 16 GN CUS	0824680	1

Accessories		
P1 UC-MAG 4	5146105	1

Terminal marking

UniCard terminal marking
for marking stud holders


Can be printed with:



UV LED technology



Plotter



- The UC-TMN ... UniCard labeling range includes markers for products with a marking stud holder, such as mini terminal blocks, transformer terminal blocks or COMBICON PCB connection terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The format automatically ensures printing with a high level of positional accuracy
- The multi-section marking strips are easy to fit and can be easily separated if required
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:
An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.
1) For ordering example, see page 359.



Stud-type markers for terminal block widths of 5.2 / 7.5 / 10 mm

General data	
Can be printed with:	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data	
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER	
PA	
V2	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
UniCard, for labeling transformer terminal blocks	
96-section	white
64-section	white
48-section	white

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC-TMN 5,2	0822945	10
UC-TMN 7,5	0821823	10
UC-TMN 10	0828554	10

Magazine, for CMS-P1-PLOTTER

Accessories		
P1 UC-MAG 1	5146079	1





Labeled according to customer specifications

Technical data

-
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC-TMN 5,2 CUS	0826857	1
UC-TMN 7,5 CUS	0824690	1
UC-TMN 10 CUS	0829109	1

Accessories

--	--	--

Terminal marking

Zack marker strip terminal marking for a tall marker groove



Can be printed with:



Plotter



Markers for a terminal block width of 3.5 mm

- The ZB zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall marker grooves
- The multi-section marking strips are easy to fit and can be easily separated if required
- Different pitches are possible on request
- Unlabeled marking strips can be custom-labeled with a plotter or by hand
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements

Selection of labeling direction

- Please take care to select the correct labeling direction for printed products
- ① “Printed horizontally” labeling, text is the right way round for a horizontally arranged terminal strip
- ② “Printed vertically” labeling, text is the right way round for a vertically arranged terminal strip

Notes:
1) 10 identically marked strips make up one packing unit (PU).
2) For ordering example, see page 359.

General data
Can be printed with:
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components


Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Description	Color
Zack marker strip, 10-section, unprinted: pack contains enough to label 100 terminal blocks	
as above, however, large batch, sufficient for 1000 terminal blocks	white
Zack marker strip, printed horizontally, ten sections with consecutive numbers, e.g., 1 - 10, 11 - 20, etc. up to 91 - 100, (ZB 3,5 and ZB 4, max. 2 digits) ¹⁾	white
Zack marker strip, printed horizontally, 10-section, with same numbers, e.g., 1/1/1, 2/2/2, etc. up to 100/100/100 ¹⁾	white
Zack marker strip, 10-section, printed horizontally: with L1, L2, L3, N, PE ¹⁾	white
U, V, W, N, ↓	white
Zack marker strip, printed vertically, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100 ¹⁾	white
Special marking zack marker strip, 10-section, separable, labeled acc. to customer specifications, (ZB 3,5 and ZB 4, max. 2 digits), please specify the required marking when ordering ²⁾	white

Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 3,5:UNBEDRUCKT	0829414	10
ZB 3,5,LGS:FORTL.ZAHLEN	0801404	10
ZB 3,5,QR:FORT.ZAHLEN	0801405	10
ZB 3,5 CUS	0829415	1

Magazine, for CMS-P1-PLOTTER

Accessories		
CMS-P1-M/ZB	5144699	1



PRINTED
FOR YOU




Markers for a terminal block width of 4.2 mm

PRINTED
FOR YOU



Markers for a terminal block width of 5.2 mm

PRINTED
FOR YOU



Markers for a terminal block width of 5.08 mm

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 4 :UNBEDRUCKT ZB 4/WH-100:UNBEDRUCKT	0805001 0805810	10 100
ZB 4,LGS:FORTL.ZAHLEN	0805739	10
ZB 4,QR:FORTL.ZAHLEN	0805807	10
ZB 4 CUS	0824951	1
Accessories		
CMS-P1-M/ZB	5144699	1

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 5 :UNBEDRUCKT ZB 5/WH-100:UNBEDRUCKT	1050004 5060906	10 100
ZB 5,LGS:FORTL.ZAHLEN	1050017	10
ZB 5,LGS:GLEICHE ZAHLEN	1050033	10
ZB 5,LGS:L1-N,PE	1050415	10
ZB 5,QR:FORTL.ZAHLEN	1050020	10
ZB 5 CUS	0824962	1
Accessories		
CMS-P1-M/ZB	5144699	1


Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 5,08:UNBEDRUCKT	0809793	10
ZB 5,08,LGS:FORTL.ZAHLEN	0809803	10
ZB 5,08,LGS:L1-N,PE ZB 5,08,LGS:U-N	0809832 0809845	10 10
ZB 5,08,QR:FORTL.ZAHLEN	0809858	10
ZB 5,08 CUS	0824963	1
Accessories		
CMS-P1-M/ZB	5144699	1

Marking and labeling - MARKING system


Terminal marking

Zack marker strip terminal marking for a tall marker groove

- The ZB zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall marker grooves
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements




Markers for a terminal block width of 6.2 mm




Markers for a terminal block width of 6.6 mm

Notes:
¹⁾ 10 identically marked strips make up one packing unit (PU).
²⁾ For ordering example, see page 359.

General data			Technical data			Technical data		
Can be printed with:			CMS-P1-PLOTTER			CMS-P1-PLOTTER		
Material			PA			PA		
Inflammability class according to UL 94			V2			V2		
Temperature range		[°C]	-40 ... 100			-40 ... 100		
Wipe resistance			DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components			free from silicone and halogen			free from silicone and halogen		
Ordering data			Ordering data			Ordering data		
Description	Color		Type	Order No.	Pcs. / Pkt.	Type	Order No.	Pcs. / Pkt.
Zack marker strip, 10-section, unprinted: pack contains enough to label 100 terminal blocks			ZB 6:UNBEDRUCKT	1051003	10	ZB 6,6:UNBEDRUCKT	1052332	10
as above, however, large batch, sufficient for 1000 terminal blocks	white white							
Zack marker strip, printed horizontally, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100	white		ZB 6,LGS:FORTL.ZAHLEN	1051016	10	ZB 6,6,LGS:FORTL.ZAHLEN	1052345	10
Zack marker strip, printed horizontally, 10-section, with same numbers, e.g., 1/1/1, 2/2/2, etc. up to 100/100/100	white		ZB 6,LGS:GLEICHE ZAHLEN	1051032	10			
Zack marker strip, 10-section, printed horizontally: with L1, L2, L3, N, PE	white white white		ZB 6,LGS:L1-N,PE ZB 6,LGS:U-N	1051414 1051430	10 10			
Zack marker strip, printed vertically, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100¹⁾	white		ZB 6,QR:FORTL.ZAHLEN	1051029	10			
Zack marker strip, special printing, 10-section, divisible, marking according to customer requirements, please specify the desired marking with order²⁾	white		ZB 6 CUS	0824992	1	ZB 6,6 CUS	0824978	1
Accessories			Accessories			Accessories		
Magazine, for CMS-P1-PLOTTER			CMS-P1-M/ZB	5144699	1	CMS-P1-M/ZB	5144699	1



Markers for a terminal block width of 7.5 mm



Markers for a terminal block width of 7.62 mm



Markers for a terminal block width of 8.2 mm

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 7,5:UNBEDRUCKT	0803948	10
ZB 7,5 CUS	0824994	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 7,62:UNBEDRUCKT ZB 7,62/WH-100:UNBEDRUCKT	1054000 5060922	10 100
ZB 7,62,LGS:FORTL.ZAHLEN	1054233	10
ZB 7,62 CUS	0824997	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 8:UNBEDRUCKT ZB 8/WH-100:UNBEDRUCKT	1052002 5060896	10 100
ZB 8,LGS:FORTL.ZAHLEN	1052015	10
ZB 8,LGS:L1-N,PE	1052413	10
ZB 8,QR:FORTL.ZAHLEN	1052028	10
ZB 8 CUS	0825011	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Marking and labeling - MARKING system


Terminal marking

Zack marker strip terminal marking for a tall marker groove


- The ZB zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall marker grooves
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements

Notes:

¹⁾ 10 identically marked strips make up one packing unit (PU).



Markers for a terminal block width of 9 mm



Markers for a terminal block width of 10.2 mm

General data			Technical data			Technical data		
Can be printed with:			CMS-P1-PLOTTER			CMS-P1-PLOTTER		
Material			PA			PA		
Inflammability class according to UL 94			V2			V2		
Temperature range		[°C]	-40 ... 100			-40 ... 100		
Wipe resistance			DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components			free from silicone and halogen			free from silicone and halogen		
Ordering data			Ordering data			Ordering data		
Description	Color		Type	Order No.	Pcs. / Pkt.	Type	Order No.	Pcs. / Pkt.
Zack marker strip, 10-section, unprinted: pack contains enough to label 100 terminal blocks			ZB 9:UNBEDRUCKT	0829127	10	ZB 10:UNBEDRUCKT	1053001	10
as above, however, large batch, sufficient for 1000 terminal blocks	white					ZB10/WH-100:UNBEDRUCKT	5060883	100
5-section	white					ZB10,LGS:FORTL.ZAHLEN	1053014	10
Flat Zack marker strip, 10-section, printed horizontally: with consecutive numbers, e.g., 1–10, 11–20, etc. up to 91–100 ¹⁾	white					ZB10,LGS:GLEICHE ZAHLEN	1053030	10
Zack marker strip, printed horizontally, 10-section, with same numbers, e.g., 1/1/1, 2/2/2, etc. up to 100/100/100 ¹⁾	white					ZB10,LGS:L1-N,PE	1053412	10
Zack marker strip, 10-section, printed horizontally: with L1, L2, L3, N, PE ¹⁾	white					ZB10,LGS:U-N	1053438	10
U, V, W, N, ↓	white					ZB10,QR:FORTL.ZAHLEN	1053027	10
5-section	white					ZB 10 CUS	0824941	1
Zack marker strip, printed vertically, 10-section, with consecutive numbers, e.g., 1–10, 11–20, etc. up to 91–100 ¹⁾	white		ZB 9 CUS	0829128	1			
Zack marker strip, special printing, 10-section, divisible, marking according to customer requirements, please specify the desired marking with order	white							
5-section	white							
Accessories			Accessories			Accessories		
Magazine, for CMS-P1-PLOTTER			CMS-P1-M/ZB	5144699	1	CMS-P1-M/ZB	5144699	1



Markers for a terminal block width of 12 mm



Markers for a terminal block width of 13 mm



Markers for a terminal block width of 15 mm

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 12:UNPRINTED	0812120	10
ZB 12,LGS:L1-N,PE	0812146	10
ZB 12 CUS	0824942	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 13:UNBEDRUCKT	0829131	10
ZB 13 CUS	0829132	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Technical data
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 15:UNBEDRUCKT	0811972	10
ZB 15,LGS:L1-N,PE	0811998	10
ZB 15 CUS	0824945	1

Accessories

CMS-P1-M/ZB	5144699	1
-------------	---------	---

Marking and labeling - MARKING system

Terminal marking

Zack marker strip terminal marking for a tall marker groove

- The ZB zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall marker grooves
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements



Markers for a terminal block width of 16.3 mm



Markers for a terminal block width of 17 mm

Notes:
1) 10 identically marked strips make up one packing unit (PU).
2) For ordering example, see page 359.

General data	
Can be printed with:	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data		
CMS-P1-PLOTTER		
PA		
V2		
-40 ... 100		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		

Ordering data

Description	Color
Zack marker strip, 5-section, unprinted: pack contains enough to label 50 terminal blocks	
4-part, for 40 terminals	white
Zack marker strip, 5-section, printed horizontally: With L1, L2, L3, N, PE ¹⁾	white
4-section	white
Zack marker strip, special printing, 5-section, divisible, marking according to customer requirements, please specify the desired marking with order ²⁾	
4-section	white

Type	Order No.	Pcs. / Pkt.
ZB 16,3:UNPRINTED	0820222	10
ZB 16,3 CUS	0824946	1

Accessories

Magazine, for CMS-P1-PLOTTER

CMS-P1-M/ZB	5144699	1
--------------------	----------------	----------

Technical data		
CMS-P1-PLOTTER		
PA		
V2		
-40 ... 100		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		

Ordering data

Type	Order No.	Pcs. / Pkt.
ZB 17:UNBEDRUCKT	0829391	10
ZB 17 CUS	0829393	1

Accessories

CMS-P1-M/ZB	5144699	1
--------------------	----------------	----------



Markers for a terminal block width of 18 mm



Markers for a terminal block width of 22 mm

Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 18:UNBEDRUCKT	0811833	10
ZB 18,LGS:L1-N,PE	0811846	10
ZB 18 CUS	0824947	1

Accessories		
CMS-P1-M/ZB	5144699	1


Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
ZB 22:UNBEDRUCKT	0811862	10
ZB 22,LGS:L1-N,PE	0811875	10
ZB 22 CUS	0824949	1

Accessories		
CMS-P1-M/ZB	5144699	1

Terminal marking


Zack marker strip terminal marking for a flat marker groove



Can be printed with:



Plotter



Markers for a terminal block width of 3.5 mm

- The ZBF flat zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall and flat marker grooves
- The multi-section marking strips are easy to fit and can be easily separated if required
- Different pitches are possible on request
- Unlabeled marking strips can be custom-labeled with a plotter or by hand
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements


Selection of labeling direction


- Please take care to select the correct labeling direction for printed products
- ① “Printed horizontally” labeling, text is the right way round for a horizontally arranged terminal strip
- ② “Printed vertically” labeling, text is the right way round for a vertically arranged terminal strip

Notes:
An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.
1) 10 identically marked strips make up one packing unit (PU).
2) For ordering example, see page 359.


General data	
Can be printed with:	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	
Description	
Zack marker strip, flat, 10-section, unprinted: pack contains enough to label 100 terminal blocks	
as above, however, large batch, sufficient for 1000 terminal blocks	white white
Zack marker strip, flat, printed horizontally, ten sections with consecutive numbers, e.g., 1 - 10, 11 - 20, etc. up to 91 - 100, (ZBF 3,5 and ZBF 4, max. 2 digits) ¹⁾	
	white
Zack marker strip, flat, printed horizontally, 10-section, with even numbers, e.g., 2-20, 22-40, etc. up to 82-100, (ZBF 4 max. 2-digit) ¹⁾	
	white
Zack marker strip, flat, printed horizontally, 10-section, with odd numbers, e.g., 1-19, 21-39, etc. up to 81-99, (ZBF 4 max. 2-digit) ¹⁾	
	white
Zack marker strip, flat, printed vertically, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100 ¹⁾	
	white
Special marking zack marker strip, flat, 10-section, separable, marking acc. to customer specifications, (ZBF 3,5 and ZBF 4 max. 2 digits), please specify the required marking when ordering ²⁾	
	white
Magazine, for CMS-P1-PLOTTER	

Technical data		
CMS-P1-PLOTTER		
PA		
V2		
-40 ... 100		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 3,5:UNBEDRUCKT	0829392	10
ZBF 3,5,LGS:FORTL.ZAHLEN	0801406	10
ZBF 3,5,QR:FORTL.ZAHLEN	0801407	10
ZBF 3,5 CUS	0829394	1
Accessories		
CMS-P1-M/ZBF	5144709	1






Markers for a terminal block width of 4.2 mm



Markers for a terminal block width of 5.2 mm



Markers for a terminal block width of 6.2 mm

Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZBF 4:UNBEDRUCKT	0808587	10
ZBF 4/WH-100:UNBEDRUCKT	0808613	100
ZBF 4,LGS:FORTL.ZAHLEN	0808626	10
ZBF 4,LGS:GERADE ZAHLEN	0810818	10
ZBF 4,LGS:UNGERADE ZAHLEN	0810850	10
ZBF 4,QR:FORTL.ZAHLEN	0808820	10
ZBF 4 CUS	0825023	1

Accessories

CMS-P1-M/ZBF	5144709	1
--------------	---------	---

Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZBF 5:UNBEDRUCKT	0808642	10
ZBF 5/WH-100:UNBEDRUCKT	0808668	100
ZBF 5,LGS:FORTL.ZAHLEN	0808671	10
ZBF 5,LGS:GERADE ZAHLEN	0810821	10
ZBF 5,LGS:UNGERADE ZAHLEN	0810863	10
ZBF 5,QR:FORTL.ZAHLEN	0808697	10
ZBF 5 CUS	0825025	1

Accessories

CMS-P1-M/ZBF	5144709	1
--------------	---------	---

Technical data
CMS-P1-PLOTTER
PA
V2
-40 ... 100
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
ZBF 6:UNBEDRUCKT	0808710	10
ZBF 6/WH-100:UNBEDRUCKT	0808736	100
ZBF 6,LGS:FORTL.ZAHLEN	0808749	10
ZBF 6,LGS:GERADE ZAHLEN	0810834	10
ZBF 6,LGS:UNGERADE ZAHLEN	0810876	10
ZBF 6,QR:FORTL.ZAHLEN	0808765	10
ZBF 6 CUS	0825027	1

Accessories

CMS-P1-M/ZBF	5144709	1
--------------	---------	---

Marking and labeling - MARKING system

Terminal marking

Zack marker strip terminal marking for a flat marker groove

- The ZBF flat zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall and flat marker grooves
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements

Notes:

¹⁾ 10 identically marked strips make up one packing unit (PU).

²⁾ For ordering example, see page 359.



Markers for a terminal block width of 7.5 mm



Markers for a terminal block width of 8.2 mm

General data

Can be printed with:

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

Technical data

CMS-P1-PLOTTER

PA

V2

-40 ... 100

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Description

Color

Zack marker strip, flat, 10-section, without color print

5-section

white

white

Zack marker strip, flat, printed horizontally, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100¹⁾

white

Zack marker strip, flat, printed vertically, 10-section, with consecutive numbers, e.g., 1-10, 11-20, etc. up to 91-100¹⁾

white

Zack marker strip, flat, special printing, 10-section, divisible, marking according to customer requirements, please specify the desired marking with order²⁾

white

white

5-section

Magazine, for CMS-P1-PLOTTER

Technical data

CMS-P1-PLOTTER

PA

V2

-40 ... 100

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Type

Order No.

Pcs. / Pkt.

ZBF 7,5:UNBEDRUCKT

0809942

10

ZBF 8:UNBEDRUCKT

0808781

10

ZBF 7,5,LGS:FORTL.ZAHLEN

0809955

10

ZBF 8,LGS:FORTL.ZAHLEN

0808804

10

ZBF 7,5,QR:FORTL.ZAHLEN

0809968

10

ZBF 7,5 CUS

0825028

1

ZBF 8 CUS

0825030

1

Accessories

CMS-P1-M/ZBF

5144709

1

Accessories

CMS-P1-M/ZBF

5144709

1



Markers for a terminal block width of 9 mm



Markers for a terminal block width of 10.2 mm



Markers for a terminal block width of 12 mm

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 9:UNBEDRUCKT	0829129	10
ZBF 9 CUS	0829130	1
Accessories		
CMS-P1-M/ZBF	5144709	1

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF10:UNBEDRUCKT	0809997	10
ZBF10,LGS:FORTL.ZAHLEN	0810009	10
ZBF10,QR:FORTL.ZAHLEN	0810025	10
ZBF10 CUS	0825031	1
Accessories		
CMS-P1-M/ZBF	5144709	1

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 12:UNBEDRUCKT	0809735	10
ZBF 12 CUS	0825018	1
Accessories		
CMS-P1-M/ZBF	5144709	1

Marking and labeling - MARKING system

Terminal marking

Zack marker strip terminal marking for a flat marker groove

- The ZBF flat zack marker strip system is a labeling solution for modular terminal blocks and electronic modules with tall and flat marker grooves
- Labeling service: Phoenix Contact can custom-label all zack marker strip markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.



Markers for a terminal block width of 13 mm



Markers for a terminal block width of 15 mm

General data

Can be printed with:

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

Technical data

CMS-P1-PLOTTER

PA

V2

-40 ... 100

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Description

Color

Zack marker strip, flat, 5-section, without color print

white

Zack marker strip, special printing, 5-section, divisible, marking according to customer requirements, please specify the desired marking with order¹⁾

white

Type

Order No.

Pcs. / Pkt.

ZBF 13:UNBEDRUCKT

0829133

10

ZBF 13 CUS

0829134

1

Accessories

Magazine, for CMS-P1-PLOTTER

CMS-P1-M/ZBF

5144709

1

Technical data

CMS-P1-PLOTTER

PA

V2

-40 ... 100

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Type

Order No.

Pcs. / Pkt.

ZBF 15:UNBEDRUCKT

0811202

10

ZBF 15 CUS

0825019

1

Accessories

CMS-P1-M/ZBF

5144709

1



Markers for a terminal block width of 16.3 mm



Markers for a terminal block width of 17 mm



Markers for a terminal block width of 19.7 mm

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 16:UNPRINTED	0827464	10
ZBF 16 CUS	0827465	1
Accessories		
CMS-P1-M/ZBF	5144709	1


Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 17:UNBEDRUCKT	0815020	10
ZBF 17 CUS	0825020	1
Accessories		
CMS-P1-M/ZBF	5144709	1

Technical data		
CMS-P1-PLOTTER PA V2 -40 ... 100 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
ZBF 19,7:UNBEDRUCKT	0810627	10
ZBF 19,7 CUS	0825021	1
Accessories		
CMS-P1-M/ZBF	5144709	1

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a tall marker groove



- The UCT-TM... UniCard labeling range includes markers for products with tall marker grooves
- The markers, which are supplied in uniform sheets, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD and BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



102 markers for a terminal block width of 3.5 mm

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
102
17
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data


Description	Color
UniCard, for labeling terminal blocks with a marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard, for labeling terminal blocks with a marker groove, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	violet
	blue
	green

Type	Order No.	Pcs. / Pkt.
UCT-TM 3,5	0829484	10
UCT-TM 3,5 RD	0829505	10
UCT-TM 3,5 OG	0829506	10
UCT-TM 3,5 YE	0829485	10
UCT-TM 3,5 VT	0829507	10
UCT-TM 3,5 BU	0829508	10
UCT-TM 3,5 GN	0829509	10
UCT-TM 3,5 CUS	0829581	1
UCT-TM 3,5 RD CUS	0829582	1
UCT-TM 3,5 OG CUS	0829583	1
UCT-TM 3,5 YE CUS	0829584	1
UCT-TM 3,5 VT CUS	0829585	1
UCT-TM 3,5 BU CUS	0829586	1
UCT-TM 3,5 GN CUS	0829587	1

Accessories

Magazine, for THERMOMARK CARD ...
for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ...,
UCT-EM (5X10), UCT-EM (6X10)

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---





84 markers for a terminal block width of 4.2 mm



72 markers for a terminal block width of 5.2 mm



60 markers for a terminal block width of 6.2 mm

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
84	
14	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 4	0828732	10
UCT-TM 4 RD	0829149	10
UCT-TM 4 OG	0829150	10
UCT-TM 4 YE	0828733	10
UCT-TM 4 VT	0829151	10
UCT-TM 4 BU	0829152	10
UCT-TM 4 GN	0829153	10
UCT-TM 4 CUS	0829588	1
UCT-TM 4 RD CUS	0829589	1
UCT-TM 4 OG CUS	0829590	1
UCT-TM 4 YE CUS	0829591	1
UCT-TM 4 VT CUS	0829592	1
UCT-TM 4 BU CUS	0829593	1
UCT-TM 4 GN CUS	0829594	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
72	
12	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 5	0828734	10
UCT-TM 5 RD	0829154	10
UCT-TM 5 OG	0829155	10
UCT-TM 5 YE	0828735	10
UCT-TM 5 VT	0829156	10
UCT-TM 5 BU	0829157	10
UCT-TM 5 GN	0829158	10
UCT-TM 5 CUS	0829595	1
UCT-TM 5 RD CUS	0829596	1
UCT-TM 5 OG CUS	0829597	1
UCT-TM 5 YE CUS	0829598	1
UCT-TM 5 VT CUS	0829599	1
UCT-TM 5 BU CUS	0829600	1
UCT-TM 5 GN CUS	0829601	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
60	
10	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 6	0828736	10
UCT-TM 6 RD	0829159	10
UCT-TM 6 OG	0829160	10
UCT-TM 6 YE	0828737	10
UCT-TM 6 VT	0829161	10
UCT-TM 6 BU	0829162	10
UCT-TM 6 GN	0829163	10
UCT-TM 6 CUS	0829602	1
UCT-TM 6 RD CUS	0829603	1
UCT-TM 6 OG CUS	0829604	1
UCT-TM 6 YE CUS	0829605	1
UCT-TM 6 VT CUS	0829606	1
UCT-TM 6 BU CUS	0829607	1
UCT-TM 6 GN CUS	0829608	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a tall marker groove

- The UCT-TM... UniCard labeling range includes markers for products with tall marker grooves
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.



48 markers for a terminal block width of 7.62 mm



42 markers for a terminal block width of 8.2 mm

General data			Technical data			Technical data		
Can be printed with:			THERMOMARK CARD PLUS • THERMOMARK CARD • BLUE-MARK CLED • BLUEMARK LED			THERMOMARK CARD PLUS • THERMOMARK CARD • BLUE-MARK CLED • BLUEMARK LED		
Number of individual labels			48			42		
Number of individual labels per strip			8			7		
Material			PC			PC		
Inflammability class according to UL 94			V0			V0		
Temperature range			[-40 ... 120			[-40 ... 120		
Wipe resistance			DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components			free from silicone and halogen			free from silicone and halogen		
Ordering data			Ordering data			Ordering data		
Description	Color	Type	Order No.	Pcs. / Pkt.		Type	Order No.	Pcs. / Pkt.
UniCard, for labeling terminal blocks with a marker groove								
	white	UCT-TM 7,62	0828738	10		UCT-TM 8	0828740	10
	red	UCT-TM 7,62 RD	0829510	10		UCT-TM 8 RD	0829164	10
	orange	UCT-TM 7,62 OG	0829511	10		UCT-TM 8 OG	0829165	10
	yellow	UCT-TM 7,62 YE	0828739	10		UCT-TM 8 YE	0828741	10
	violet	UCT-TM 7,62 VT	0829512	10		UCT-TM 8 VT	0829166	10
	blue	UCT-TM 7,62 BU	0829513	10		UCT-TM 8 BU	0829167	10
	green	UCT-TM 7,62 GN	0829514	10		UCT-TM 8 GN	0829168	10
UniCard, for labeling terminal blocks with a marker groove, labeled acc. to customer specifications¹⁾								
	white	UCT-TM 7,62 CUS	0829609	1		UCT-TM 8 CUS	0829616	1
	red	UCT-TM 7,62 RD CUS	0829610	1		UCT-TM 8 RD CUS	0829617	1
	orange	UCT-TM 7,62 OG CUS	0829611	1		UCT-TM 8 OG CUS	0829618	1
	yellow	UCT-TM 7,62 YE CUS	0829612	1		UCT-TM 8 YE CUS	0829619	1
	violet	UCT-TM 7,62 VT CUS	0829613	1		UCT-TM 8 VT CUS	0829620	1
	blue	UCT-TM 7,62 BU CUS	0829614	1		UCT-TM 8 BU CUS	0829621	1
	green	UCT-TM 7,62 GN CUS	0829615	1		UCT-TM 8 GN CUS	0829622	1
Accessories			Accessories			Accessories		
Magazine, for THERMOMARK CARD ... for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ..., UCT-EM (5X10), UCT-EM (6X10)			THERMOMARK CARD-UCT-MAG1			THERMOMARK CARD-UCT-MAG1		
			5146480	1		5146480	1	



36 markers for a terminal block width of 10.2 mm



30 markers for a terminal block width of 12 mm



18 markers for a terminal block width of 16 mm

Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
36
6
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 10	0829142	10
UCT-TM 10 RD	0829169	10
UCT-TM 10 OG	0829170	10
UCT-TM 10 YE	0829143	10
UCT-TM 10 VT	0829171	10
UCT-TM 10 BU	0829172	10
UCT-TM 10 GN	0829173	10
UCT-TM 10 CUS	0829623	1
UCT-TM 10 RD CUS	0829624	1
UCT-TM 10 OG CUS	0829625	1
UCT-TM 10 YE CUS	0829626	1
UCT-TM 10 VT CUS	0829627	1
UCT-TM 10 BU CUS	0829628	1
UCT-TM 10 GN CUS	0829629	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
30
5
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 12	0829144	10
UCT-TM 12 RD	0829174	10
UCT-TM 12 OG	0829175	10
UCT-TM 12 YE	0829145	10
UCT-TM 12 VT	0829176	10
UCT-TM 12 BU	0829177	10
UCT-TM 12 GN	0829178	10
UCT-TM 12 CUS	0829630	1
UCT-TM 12 RD CUS	0829631	1
UCT-TM 12 OG CUS	0829632	1
UCT-TM 12 YE CUS	0829633	1
UCT-TM 12 VT CUS	0829634	1
UCT-TM 12 BU CUS	0829635	1
UCT-TM 12 GN CUS	0829636	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
18
3
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen


Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TM 16	0829146	10
UCT-TM 16 RD	0829179	10
UCT-TM 16 OG	0829180	10
UCT-TM 16 YE	0829147	10
UCT-TM 16 VT	0829181	10
UCT-TM 16 BU	0829182	10
UCT-TM 16 GN	0829183	10
UCT-TM 16 CUS	0829637	1
UCT-TM 16 RD CUS	0829638	1
UCT-TM 16 OG CUS	0829639	1
UCT-TM 16 YE CUS	0829640	1
UCT-TM 16 VT CUS	0829641	1
UCT-TM 16 BU CUS	0829642	1
UCT-TM 16 GN CUS	0829643	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a flat marker groove



- The UCT-TMF ... UniCard labeling range includes markers for products with flat marker grooves
- The markers, which are supplied in uni-form sheets, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD and BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



108 markers for a terminal block width of 3.5 mm

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
108
18
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data


Description	Color
UniCard, for labeling terminal blocks with a flat marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard, for labeling terminal blocks with a flat marker groove, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	violet
	blue
	green

Type	Order No.	Pcs. / Pkt.
UCT-TMF 3,5	0829486	10
UCT-TMF 3,5 RD	0829515	10
UCT-TMF 3,5 OG	0829516	10
UCT-TMF 3,5 YE	0829487	10
UCT-TMF 3,5 VT	0829517	10
UCT-TMF 3,5 BU	0829518	10
UCT-TMF 3,5 GN	0829519	10
UCT-TMF 3,5 CUS	0829644	1
UCT-TMF 3,5 RD CUS	0829645	1
UCT-TMF 3,5 OG CUS	0829646	1
UCT-TMF 3,5 YE CUS	0829647	1
UCT-TMF 3,5 VT CUS	0829648	1
UCT-TMF 3,5 BU CUS	0829649	1
UCT-TMF 3,5 GN CUS	0829650	1

Accessories

Magazine, for THERMOMARK CARD ..., for accommodating: UCT-TMF ...

THERMOMARK CARD-UCT-MAG2	5146563	1
--------------------------	---------	---





90 markers for a terminal block width of 4.2 mm



72 markers for a terminal block width of 5.2 mm



60 markers for a terminal block width of 6.2 mm

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
90	
15	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
72	
12	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
60	
10	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 4	0828742	10
UCT-TMF 4 RD	0829184	10
UCT-TMF 4 OG	0829185	10
UCT-TMF 4 YE	0828743	10
UCT-TMF 4 VT	0829186	10
UCT-TMF 4 BU	0829187	10
UCT-TMF 4 GN	0829188	10
UCT-TMF 4 CUS	0829651	1
UCT-TMF 4 RD CUS	0829652	1
UCT-TMF 4 OG CUS	0829653	1
UCT-TMF 4 YE CUS	0829654	1
UCT-TMF 4 VT CUS	0829655	1
UCT-TMF 4 BU CUS	0829656	1
UCT-TMF 4 GN CUS	0829657	1

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 5	0828744	10
UCT-TMF 5 RD	0829189	10
UCT-TMF 5 OG	0829190	10
UCT-TMF 5 YE	0828745	10
UCT-TMF 5 VT	0829191	10
UCT-TMF 5 BU	0829192	10
UCT-TMF 5 GN	0829193	10
UCT-TMF 5 CUS	0829658	1
UCT-TMF 5 RD CUS	0829659	1
UCT-TMF 5 OG CUS	0829660	1
UCT-TMF 5 YE CUS	0829661	1
UCT-TMF 5 VT CUS	0829662	1
UCT-TMF 5 BU CUS	0829663	1
UCT-TMF 5 GN CUS	0829664	1

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 6	0828746	10
UCT-TMF 6 RD	0829194	10
UCT-TMF 6 OG	0829195	10
UCT-TMF 6 YE	0828747	10
UCT-TMF 6 VT	0829196	10
UCT-TMF 6 BU	0829197	10
UCT-TMF 6 GN	0829198	10
UCT-TMF 6 CUS	0829665	1
UCT-TMF 6 RD CUS	0829666	1
UCT-TMF 6 OG CUS	0829667	1
UCT-TMF 6 YE CUS	0829668	1
UCT-TMF 6 VT CUS	0829669	1
UCT-TMF 6 BU CUS	0829670	1
UCT-TMF 6 GN CUS	0829671	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1

Marking and labeling - MARKING system

Terminal marking

UniCard terminal marking for a flat marker groove

- The UCT-TMF ... UniCard labeling range includes markers for products with flat marker grooves
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



42 markers for a terminal block width of 8.2 mm

Notes:

1) For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

Wipe resistance

Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •

BLUEMARK CLED • BLUEMARK LED

42

7

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Description	Color
UniCard , for labeling terminal blocks with a flat marker groove	
	white
	red
	orange
	yellow
	violet
	blue
	green
UniCard , for labeling terminal blocks with a flat marker groove, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	violet
	blue
	green

Type	Order No.	Pcs. / Pkt.
UCT-TMF 8	0828748	10
UCT-TMF 8 RD	0829199	10
UCT-TMF 8 OG	0829200	10
UCT-TMF 8 YE	0828749	10
UCT-TMF 8 VT	0829201	10
UCT-TMF 8 BU	0829202	10
UCT-TMF 8 GN	0829203	10
UCT-TMF 8 CUS	0829672	1
UCT-TMF 8 RD CUS	0829673	1
UCT-TMF 8 OG CUS	0829674	1
UCT-TMF 8 YE CUS	0829675	1
UCT-TMF 8 VT CUS	0829676	1
UCT-TMF 8 BU CUS	0829677	1
UCT-TMF 8 GN CUS	0829678	1

Accessories

Magazine, for THERMOMARK CARD ..., for accommodating: UCT-TMF ...

THERMOMARK CARD-UCT-MAG2	5146563	1
---------------------------------	----------------	---



36 markers for a terminal block width of 10.2 mm



30 markers for a terminal block width of 12 mm



24 markers for a terminal block width of 16 mm

Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
36
6
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 10	0829204	10
UCT-TMF 10 RD	0829205	10
UCT-TMF 10 OG	0829206	10
UCT-TMF 10 YE	0829207	10
UCT-TMF 10 VT	0829208	10
UCT-TMF 10 BU	0829209	10
UCT-TMF 10 GN	0829210	10
UCT-TMF 10 CUS	0829679	1
UCT-TMF 10 RD CUS	0829680	1
UCT-TMF 10 OG CUS	0829681	1
UCT-TMF 10 YE CUS	0829682	1
UCT-TMF 10 VT CUS	0829683	1
UCT-TMF 10 BU CUS	0829684	1
UCT-TMF 10 GN CUS	0829685	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1

Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
30
5
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 12	0829214	10
UCT-TMF 12 RD	0829212	10
UCT-TMF 12 OG	0829213	10
UCT-TMF 12 YE	0829211	10
UCT-TMF 12 VT	0829215	10
UCT-TMF 12 BU	0829216	10
UCT-TMF 12 GN	0829217	10
UCT-TMF 12 CUS	0829686	1
UCT-TMF 12 RD CUS	0829687	1
UCT-TMF 12 OG CUS	0829688	1
UCT-TMF 12 YE CUS	0829689	1
UCT-TMF 12 VT CUS	0829690	1
UCT-TMF 12 BU CUS	0829691	1
UCT-TMF 12 GN CUS	0829692	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1


Technical data
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
24
4
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT-TMF 16	0829218	10
UCT-TMF 16 RD	0829219	10
UCT-TMF 16 OG	0829220	10
UCT-TMF 16 YE	0829221	10
UCT-TMF 16 BU	0829223	10
UCT-TMF 16 GN	0829224	10
UCT-TMF 16 CUS	0829693	1
UCT-TMF 16 RD CUS	0829694	1
UCT-TMF 16 OG CUS	0829695	1
UCT-TMF 16 YE CUS	0829696	1
UCT-TMF 16 VT CUS	0829697	1
UCT-TMF 16 BU CUS	0829698	1
UCT-TMF 16 GN CUS	0829699	1

Accessories		
THERMOMARK CARD-UCT-MAG2	5146563	1

Terminal marking

UniSheet terminal marking for a universal marker groove



- The US-TM 100 UniSheet markers are suitable for products with universal marker grooves
- The markers, which are supplied as uniform cards, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD
- The perforated marking strips are easy to separate and can be easily fitted
- The cards provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniSheet markers in accordance with your requirements

Notes:
An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.
1) For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



13 strips with a strip width of 104 mm

General data	
Can be printed with:	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	


Description	Color
UniSheet, for marking push-in terminal blocks with a special center groove	white
UniSheet, for labeling push-in terminal blocks with a special center groove, labeled acc. to customer specifications¹⁾	white

Magazine, for THERMOMARK CARD..., for accommodating all US-... materials
--


Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD	
PVC	
V0	
-30 ... 80	
DIN EN 61010-1 (VDE 0411-1)	
Silicone-free	

Ordering data		
Type	Order No.	Pcs. / Pkt.
US-TM 100	0829255	10
US-TM 100 CUS	0829948	1

Accessories		
THERMOMARK CARD-US-MAG1	5146451	1



UniSheet terminal marking for a flat marker groove



- The US-TMF 100 UniSheet markers are suitable for products with a flat marker groove
- The markers, which are supplied as uniform cards, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD
- The perforated marking strips are easy to separate and can be easily fitted
- The cards provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniSheet markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



20 strips with a strip width of 104 mm

General data

Can be printed with:

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD

PVC

V0

-30 ... 80

DIN EN 61010-1 (VDE 0411-1)

Silicone-free

Ordering data


Description	Color
UniSheet, for labeling terminal blocks with a tall, flat or universal marker groove	white
UniSheet, for labeling terminal blocks with a flat marker groove, labeled acc. to customer specifications ¹⁾	white

Type	Order No.	Pcs. / Pkt.
US-TMF 100	0829260	10
US-TMF 100 CUS	0829949	1

Accessories

THERMOMARK CARD-US-MAG1	5146451	1
-------------------------	---------	---


Magazine, for THERMOMARK CARD..., for accommodating all US-... materials



Terminal marking

UniSheet marker strips, self-adhesive, for terminal blocks without marker groove

Can be printed with:



Thermal transfer for sheets and cards



26 strips, 104 mm wide, 2.8 mm high

- The US-TML labeling range includes self-adhesive marker strips for products without a marker groove
- The markers, which are supplied as uniform cards, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD
- The perforated marking strips are easy to separate and can be easily fitted
- The cards provide space for including function texts

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD	
26	
1	
Polyester	
-40 ... 150	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
UniSheet,unprinted, for labeling terminal blocks without marker groove	
Lettering field size: 104 x 2.8 mm	white
Lettering field size: 104 x 3.8 mm	white
Lettering field size: 104 x 5 mm	white
Lettering field size: 104 x 10 mm	white

Ordering data		
Type	Order No.	Pcs. / Pkt.
US-TML (104X2,8)	0830767	10

Magazine, for THERMOMARK CARD..., for accommodating all US-... materials
--

Accessories		
THERMOMARK CARD-US-MAG1	5146451	1

N

N

N



22 strips, 104 mm wide, 3.8 mm high



19 strips, 104 mm wide, 5 mm high



11 strips, 104 mm wide, 10 mm high

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD
22
1
Polyester
-40 ... 150
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
US-TML (104X3,8)	0830768	10

Accessories

THERMOMARK CARD-US-MAG1	5146451	1
-------------------------	---------	---

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD
19
1
Polyester
-40 ... 150
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
US-TML (104X5)	0830769	10

Accessories

THERMOMARK CARD-US-MAG1	5146451	1
-------------------------	---------	---

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD
11
1
Polyester
-40 ... 150
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
US-TML (104X10)	0830770	10

Accessories

THERMOMARK CARD-US-MAG1	5146451	1
-------------------------	---------	---

Marking and labeling - MARKING system

Terminal marking

Marker strips for terminal marking, for tall and flat marker grooves



Can be printed with:



Thermal transfer for rolls



Markers for a terminal block width of 4.2 mm

- The TMT labeling range includes markers for all products with tall and flat marker grooves
- The markers that are supplied on rolls can be quickly and cost-effectively labeled using THERMOMARK printers
- The perforated marking strips are easy to separate and can be easily fitted using the tool supplied
- Labeling service: Phoenix Contact can custom-label all TMT markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Temperature range
Wipe resistance
Components

[°C]

THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1
24000
24
Polyester
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Technical data

Ordering data

Description	Color
Markers, perforated, unprinted, for all terminal blocks with a tall, flat or universal marker groove, 1 roll = 1000 strips, strip height: 6.4 mm, incl. TMT TOOL	
	white
	red
	blue
	yellow
	green
	orange
Markers, perforated, labeled acc. to customer specifications, for all terminal blocks with a tall, flat or universal marker groove ¹⁾	
	white
	red
	blue
	yellow
	green
	orange

Type	Order No.	Pcs. / Pkt.
TMT 4 R	0816375	1
TMT 4 R RD	0816362	1
TMT 4 R BU	0816333	1
TMT 4 R YE	0816388	1
TMT 4 R GN	0816346	1
TMT 4 R OG	0816359	1
TMT 4 R CUS	0824476	1
TMT 4 R RD CUS	0824480	1
TMT 4 R BU CUS	0824477	1
TMT 4 R YE CUS	0824481	1
TMT 4 R GN CUS	0824478	1
TMT 4 R OG CUS	0824479	1

Accessories

Locking tool to snap into the TMT... materials
orange

TMT TOOL	0816650	1
----------	---------	---



PRINTED
FOR YOU



Marker for a terminal block width of 5.2 mm

PRINTED
FOR YOU



Marker for a terminal block width of 6.2 mm

PRINTED
FOR YOU



Marker for a terminal block width of 8.2 mm

Technical data
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1
19000
19
Polyester
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
TMT 5 R	0816430	1
TMT 5 R RD	0816427	1
TMT 5 R BU	0816391	1
TMT 5 R YE	0816443	1
TMT 5 R GN	0816401	1
TMT 5 R OG	0816414	1
TMT 5 R CUS	0824482	1
TMT 5 R RD CUS	0824486	1
TMT 5 R BU CUS	0824483	1
TMT 5 R YE CUS	0824487	1
TMT 5 R GN CUS	0824484	1
TMT 5 R OG CUS	0824485	1

Accessories		
TMT TOOL	0816650	1

Technical data
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1
16000
16
Polyester
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
TMT 6 R	0816498	1
TMT 6 R RD	0816485	1
TMT 6 R BU	0816456	1
TMT 6 R YE	0816508	1
TMT 6 R GN	0816469	1
TMT 6 R OG	0816472	1
TMT 6 R CUS	0824488	1
TMT 6 R RD CUS	0824492	1
TMT 6 R BU CUS	0824489	1
TMT 6 R YE CUS	0824493	1
TMT 6 R GN CUS	0824490	1
TMT 6 R OG CUS	0824491	1

Accessories		
TMT TOOL	0816650	1

Technical data
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1
12000
12
Polyester
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
TMT 8 R	0816553	1
TMT 8 R RD	0816540	1
TMT 8 R BU	0816511	1
TMT 8 R YE	0816566	1
TMT 8 R GN	0816524	1
TMT 8 R OG	0816537	1
TMT 8 R CUS	0824494	1
TMT 8 R RD CUS	0824498	1
TMT 8 R BU CUS	0824495	1
TMT 8 R YE CUS	0824499	1
TMT 8 R GN CUS	0824496	1
TMT 8 R OG CUS	0824497	1

Accessories		
TMT TOOL	0816650	1

Marking and labeling - MARKING system

Terminal marking

Marker strips for terminal marking, for tall and flat marker grooves



- The TMT labeling range includes markers for all products with tall and flat marker grooves
- Labeling service: Phoenix Contact can custom-label all TMT markers in accordance with your requirements

Notes:
1) For ordering example, see page 359.

Can be printed with:



Thermal transfer for rolls



Markers for a terminal block width of 10.2 mm

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data	
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1	
10000	
10	
Polyester	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
Markers, perforated, unprinted, for all terminal blocks with a tall, flat or universal marker groove, 1 roll = 1000 strips, strip height: 6.4 mm, incl. TMT TOOL	white
Markers, perforated, labeled acc. to customer specifications, for all terminal blocks with a tall, flat or universal marker groove¹)	white
Marker, for terminal blocks, unperforated, unprinted, strip width: 101.5 mm, 1 roll = 1000 strips, incl. TMT TOOL	white
	red
Marker, for terminal blocks, unperforated, labeled as per customer specifications, strip width: 101.5 mm¹)	blue
	yellow
	green
	orange

Ordering data		
Type	Order No.	Pcs. / Pkt.
TMT 10 R	0816210	1
TMT 10 R CUS	0824500	1

Locking tool to snap into the TMT... materials
orange

Accessories		
TMT TOOL	0816650	1

PRINTED
FOR YOU



Markers with a strip width of 101.5 mm

Technical data

THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1

1000

1

Polyester

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
TMT 100 R	0816605	1
TMT 100 R RD	0816595	1
TMT 100 R BU	0816223	1
TMT 100 R YE	0816618	1
TMT 100 R GN	0816579	1
TMT 100 R OG	0816582	1
TMT 100 R CUS	0824501	1
TMT 100 R RD CUS	0824505	1
TMT 100 R BU CUS	0824502	1
TMT 100 R YE CUS	0824506	1
TMT 100 R GN CUS	0824503	1
TMT 100 R OG CUS	0824504	1


Accessories

TMT TOOL	0816650	1
----------	---------	---

Terminal marking

Self-adhesive marker strips

Can be printed with:



Thermal transfer for rolls



Marker with strip width of 101.5 mm

- The products in the TML labeling range allow subsequent labeling of zack marker strip materials and flat zack marker strip materials using a marking foil
- The markers that are supplied on rolls can be quickly and cost-effectively labeled using THERMOMARK printers
- Labeling service: Phoenix Contact can custom-label all TML markers in accordance with your requirements

Notes:
An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 112.
1) For ordering example, see page 359.

General data	
Can be printed with:	
Number of individual labels per strip	
Material	
Temperature range	[°C]
Wipe resistance	
Components	


Description	Color
Marking foil for zack marker strip, unprinted, perforated, 1 roll = 1000 strips, strip length: 101 mm, strip height: 9.5 mm	
labeled according to customer specifications ¹⁾	transparent
Marking foil for zack marker strip, flat, unprinted, perforated, 1 roll = 1000 strips, strip length: 101 mm, strip height: 4.2 mm	transparent
labeled according to customer specifications ¹⁾	transparent

Technical data		
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1		
1		
Polyester		
-40 ... 150		
DIN EN 61010-1 (VDE 0411-1)		
Silicone-free		
Ordering data		
Type	Order No.	Pcs. / Pkt.
TML (101X9,5)R TR	0816647	1
TML (101X9,5)R TR CUS	0824473	1
TML (101X4,2)R TR	0816621	1
TML (101X4,2)R TR CUS	0824472	1



Self-adhesive marker strips

Can be printed with:



Thermal transfer for rolls



Marker with strip height of 9.5 mm and 4.2 mm, continuous

- The products in the TML labeling range allow subsequent labeling of zack marker strip materials and flat zack marker strip materials using a marking foil
- The markers that are supplied on rolls can be quickly and cost-effectively labeled using THERMOMARK printers
- Labeling service: Phoenix Contact can custom-label all TML markers in accordance with your requirements

Notes:

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels per strip

Material

Temperature range

Wipe resistance

Components

[°C]

Technical data

THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1

1

Polyester

-40 ... 150

DIN EN 61010-1 (VDE 0411-1)

Silicone-free

Ordering data


Description	Color
Marking foil for zack marker strip, unprinted, 1 roll = 40 m continuous, strip height: 9.5 mm	transparent
labeled according to customer specifications ¹⁾	transparent
Marking foil for zack marker strip, flat, unprinted, 1 roll = 40 m continuous, strip height: 4.2 mm	transparent
labeled according to customer specifications ¹⁾	transparent

Type	Order No.	Pcs. / Pkt.
TML (EX9,5)R TR	0816634	1
TML (EX9,5)R TR CUS	0824475	1
TML (EX4,2)R TR	0816715	1
TML (EX4,2)R TR CUS	0824474	1




Terminal marking

Self-adhesive marker strips for terminal blocks without a marker groove




- The SK range of self-adhesive labels can be used to label products that do not feature a marker groove
- The markers that are supplied on rolls can be quickly and cost-effectively labeled using THERMOMARK printers
- The markers that are supplied as cards can be easily labeled using standard laser printers
- Ideal for labeling COMBICON connectors
- Labeling service: Phoenix Contact can custom-label SK markers in accordance with your requirements


Notes:
1) For ordering example, see page 359.




Markers labeled with 2.54 mm pitch

General data		Technical data		
Material		Polyester		
Temperature range		-40 ... 150		
Wipe resistance		DIN EN 61010-1 (VDE 0411-1)		
Components		free from silicone and halogen		
Description		Ordering data		
Color		Type	Order No.	Pcs. / Pkt.
Marker card, printed horizontally, self-adhesive, 10-section marking stripes, 14 identical decades marked with 1-10, 11-20, etc. up to 91-100, adequate for 140 terminal blocks (SK 2,54...SK 3,81...max. 2 characters per terminal block)		SK 2,54/2,8:FORTL.ZAHLEN	0804853	10
Marker card, self-adhesive, marked according to customer specifications, 14-section marker strips, max. 25-pos. marking (SK...P2,54 to SK...P3,81 max. 2 characters per pos.) ¹⁾		SK 2,8 REEL P2,54 WH CUS	0825120	1
Marker card, unprinted, DIN A4 format, pitch as desired, self-adhesive, with 50 perforated marker strips, strip length of 185 mm		SK U/2,8 WH:UNBEDRUCKT	0803883	10
Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 14 strips, strip height of 2.8 mm, 1 roll = 90 m		SK 2,8 WH:REEL	0805205	1






Markers labeled with 3.5 mm pitch



Markers labeled with 3.81 mm pitch



Markers labeled with 5.08 mm pitch

Technical data
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 3,5/2,8:FORTL.ZAHLEN	0804073	10
SK 2,8 REEL P3,5 WH CUS	0825121	1
SK U/2,8 WH:UNBEDRUCKT	0803883	10
SK 2,8 WH:REEL	0805205	1

Technical data
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 3,81/2,8:FORTL.ZAHLEN	0804109	10
SK 2,8 REEL P3,81 WH CUS	0825122	1
SK U/2,8 WH:UNBEDRUCKT	0803883	10
SK 2,8 WH:REEL	0805205	1

Technical data
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 5,08/2,8:FORTL.ZAHLEN	0804280	10
SK 2,8 REEL P5,08 WH CUS	0825123	1
SK U/2,8 WH:UNBEDRUCKT	0803883	10
SK 2,8 WH:REEL	0805205	1

Marking and labeling - MARKING system


Terminal marking

Self-adhesive marker strips for terminal blocks without a marker groove


- The SK range of self-adhesive labels can be used to label products that do not feature a marker groove
- Labeling service: Phoenix Contact can custom-label SK markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.



Markers labeled with 5 mm pitch



Markers labeled with 5.08 mm pitch

General data		Technical data			Technical data		
Material		Polyester			Polyester		
Temperature range	[°C]	-40 ... 150			-40 ... 150		
Wipe resistance		DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components		free from silicone and halogen			free from silicone and halogen		
Description		Ordering data			Ordering data		
	Color	Type	Order No.	Pcs. / Pkt.	Type	Order No.	Pcs. / Pkt.
Marker card, printed horizontally , self-adhesive, 10-section marker strip, 12 identical decades marked, for example, with 1-10, 11-20, etc. up to 91-100, sufficient for 120 terminal blocks							
	white	SK 5/3,8:FORTL.ZAHLEN	0804183	10	SK 5,08/3,8:FORTL.ZAHLEN	0804293	10
Marker card, self-adhesive, marked according to customer specifications , 12-section marker strips, max. 25-pos. marking per strip ¹⁾							
	white	SK 3,8 REEL P5 WH CUS	0825124	1	SK 3,8 REEL P5,08 WH CUS	0825125	1
Marker card, unprinted , DIN A4 format, pitch as desired, self-adhesive, with 40 perforated marker strips, strip length of 185 mm							
	white	SK U/3,8 WH:UNBEDRUCKT	0803906	10	SK U/3,8 WH:UNBEDRUCKT	0803906	10
Self-adhesive marker strips, unprinted, continuous , material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 12 strips, strip height of 3.8 mm, 1 roll = 90 m							
	white	SK 3,8 WH:REEL	0805218	1	SK 3,8 WH:REEL	0805218	1



Markers labeled with 6.2 mm pitch



Markers labeled with 7.5 mm pitch



Markers labeled with 7.62 mm pitch

Technical data		
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 6,2/3,8:FORTL.ZAHLEN	0804374	10
SK 3,8 REEL P6,2 WH CUS	0825126	1
SK U/3,8 WH:UNBEDRUCKT	0803906	10
SK 3,8 WH:REEL	0805218	1

Technical data		
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 7,5/3,8:FORTL.ZAHLEN	0804455	10
SK 3,8 REEL P7,5 WH CUS	0825127	1
SK U/3,8 WH:UNBEDRUCKT	0803906	10
SK 3,8 WH:REEL	0805218	1

Technical data		
Polyester -40 ... 150 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
SK 7,62/3,8:FORTL.ZAHLEN	0804549	10
SK 3,8 REEL P7,62 WH CUS	0825128	1
SK U/3,8 WH:UNBEDRUCKT	0803906	10
SK 3,8 WH:REEL	0805218	1

Marking and labeling - MARKING system


Terminal marking

Self-adhesive marker strips for terminal blocks without a marker groove

- The SK range of self-adhesive labels can be used to label products that do not feature a marker groove
- Labeling service: Phoenix Contact can custom-label all TMT markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.



Markers labeled with 7.5 mm pitch



Markers labeled with 7.62 mm pitch

General data

Material	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data

Polyester
-40 ... 150
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
SK 7,5/5:FORTL.ZAHLEN	0804468	10
SK 5,0 REEL P7,5 WH CUS	0825131	1
SK U/5,0 WH:UNBEDRUCKT	0803922	10
SK 5,0 WH:REEL	0805221	1

Technical data

Polyester
-40 ... 150
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
SK 7,62/5:FORTL.ZAHLEN	0804552	10
SK 5,0 REEL P7,62 WH CUS	0825132	1
SK U/5,0 WH:UNBEDRUCKT	0803922	10
SK 5,0 WH:REEL	0805221	1

Description

Color

Marker card, printed horizontally, self-adhesive, 10-section marker strip, 10 identical decades marked 1-10, 11-20, etc. up to 91-100, for example, sufficient for 100 terminal blocks

white

Marker card, self-adhesive, labeled according to customer specifications, 10-section marker strips, max. 25-pos. marking per strip¹⁾

white

Marker card, unprinted, DIN A4 format, pitch as desired, self-adhesive, with 35 perforated marker strips, strip length of 185 mm

white

Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 10 strips, strip height of 5.0 mm, 1 roll = 90 m

white

Self-adhesive marker strips for terminal blocks without a marker groove



Markers with a strip length of up to 1000 mm




Markers with a strip length of up to 185 mm

General data			Technical data			Technical data		
Can be printed with:			THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1			CMS-P1-PLOTTER • Office printing systems		
Material			Polyester			Polyester		
Temperature range			-40 ... 150			-40 ... 150		
Wipe resistance			DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components			free from silicone and halogen			free from silicone and halogen		
Description			Ordering data			Ordering data		
Color			Type	Order No.	Pcs. / Pkt.	Type	Order No.	Pcs. / Pkt.
Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 14 strips, strip height of 2.8 mm, 1 roll = 90 m			SK 2,8 WH:REEL	0805205	1			
white								
Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 12 strips, strip height of 3.8 mm, 1 roll = 90 m			SK 3,8 WH:REEL	0805218	1			
white								
Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 10 strips, strip height of 5.0 mm, 1 roll = 90 m			SK 5,0 WH:REEL	0805221	1			
white								
Self-adhesive marker strips, unprinted, continuous, material off the roll, for marking with thermal transfer printer, can be separated using cutter, pitch as desired, strip length of up to 1000 mm, 7 strips, strip height of 10 mm, 1 roll = 90 m			SK 10,0 WH:REEL	0812188	1			
white								
Marker card, unprinted, DIN A4 format, pitch as desired, self-adhesive, with 50 perforated marker strips, strip length of 185 mm						SK U/2,8 WH:UNBEDRUCKT	0803883	10
white								
Marker card, unprinted, DIN A4 format, pitch as desired, self-adhesive, with 40 perforated marker strips, strip length of 185 mm						SK U/3,8 WH:UNBEDRUCKT	0803906	10
white								
Marker card, unprinted, DIN A4 format, pitch as desired, self-adhesive, with 35 perforated marker strips, strip length of 185 mm						SK U/5,0 WH:UNBEDRUCKT	0803922	10
white								

Terminal marking

Self-adhesive marker strips for terminal blocks without a marker groove



Thermal transfer for rolls



Unlabeled


– The TML marking range offers self-adhesive marker strips for marking products that do not have a marker groove

General data	
Can be printed with:	
Number of individual labels per strip	
Material	
Temperature range	[°C]
Wipe resistance	
Components	


Technical data	
THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1	
1	
Polyester	
-40 ... 150	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
Self-adhesive marker strips, unprinted	
1 roll = 2500 strips, lettering field size: 104 x 2.8 mm	white
1 roll = 2500 strips, lettering field size: 104 x 3.8 mm	white
1 roll = 2500 strips, lettering field size: 104 x 5 mm	white
1 roll = 1500 strips, lettering field size: 104 x 10 mm	white

Ordering data		
Type	Order No.	Pcs. / Pkt.
TML (104X2,8)R	0801832	1
TML (104X3,8)R	0801833	1
TML (104X5)R	0801834	1
TML (104X10)R	0801835	1



Self-adhesive marker strips for terminal blocks without marker groove, continuous



Thermal transfer for rolls



Unlabeled

- The TML marking range offers self-adhesive marker strips for marking products that do not have a marker groove
- The marker strips are automatically perforated or cut to the required length during the printing process

General data

Can be printed with:

Number of individual labels per strip

Material

Temperature range

Wipe resistance

Components

[°C]

Technical data

THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1

14

Polyester

-40 ... 150

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Description	Color	Type	Order No.	Pcs. / Pkt.
Self-adhesive marker strips, unprinted, continuous				
1 roll = 30 m continuous, strip height: 2.8 mm	white	TML (EX2,8)R	0801836	1
1 roll = 30 m continuous, strip height: 3.8 mm	white	TML (EX3,8)R	0801837	1
1 roll = 30 m continuous, strip height: 5 mm	white	TML (EX5)R	0801838	1
1 roll = 30 m continuous, strip height: 7 mm	white	TML (EX7)R	0830837	1
1 roll = 30 m continuous, strip height: 10 mm	white	TML (EX10)R	0801839	1

Marking and labeling - MARKING system

Terminal marking

UniCard group marking for snapping into CLIPFIX 35-5 end bracket

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



- Group marking which saves space
- Large labeling option
- The markers, which are supplied in uniform sheets, can be labeled quickly and easily using the BLUEMARK CLED and THERMOMARK CARD ...
- The format automatically ensures printing with a high level of positional accuracy
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

1) For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
24
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color
UniCard , can be labeled with THERMOMARK CARD and BLUEMARK	
Lettering field size: 30 x 5 mm	white yellow
UniCard, labeled according to customer specifications¹⁾	
Lettering field size: 30 x 5 mm	white yellow

Type	Order No.	Pcs. / Pkt.
UCT-EM (30X5)	0801505	10
UCT-EM (30X5) YE	0830340	10
UCT-EM (30X5) CUS	0801589	1
UCT-EM (30X5) YE CUS	0830348	1

Accessories

End bracket, for snapping onto NS 35, 5.15 mm wide, can be marked with ZB 5 and UCT-EM (30X5), parking option for bridges and test plugs

Magazine, for THERMOMARK CARD ..., for accommodating: UCT-EM (30X5)
for accommodating UCT-EM (30X5)

Type	Order No.	Pcs. / Pkt.
CLIPFIX 35-5	3022276	50
THERMOMARK CARD-UCT-MAG10	0801737	1

Labeling of terminal block groups for snapping into a tall marker groove

- Space-saving group labeling directly on the terminal block
- Fits all terminal blocks with a design width of 3.5 mm and a tall center marker groove
- Large-surface labeling with labels or manually using B-STIFT or X-PEN



3.5 mm and 5.2 mm pitch



29 mm pitch

General data

Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Components	

Technical data

PA
V2
-40 ... 120
free from silicone and halogen

Technical data

PA / PC
V2
-40 ... 100
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
GBS 3,5-25X3,5	0830290	100
GBS 3,5-25X12	0830292	100
GBS 5-25X5	0829126	100
GBS 5-25X12	0810588	100

Ordering data

Type	Order No.	Pcs. / Pkt.
GBS-ZB/26X6	0809298	50

Accessories

EML (24X3)R	0830291	1
EML (25,4X12,7)R	0816825	1
EML (24X4)R	0800061	1

Accessories

ESL 26X 6	0808105	10
EMT (25X6)R	0817264	1

Label


2500 labels p. roll	white
2500 labels p. roll	white
1000 labels p. roll	white

Insert strip for laser printer, perforated, for terminal strip marker KLM, labeling field: 26 x 6 mm

Lettering field size: 26 x 6 mm white

Insert labels for thermal transfer printers

Lettering field size: 25 x 6 mm, 5000 labels p. roll white



Marking and labeling - MARKING system

Terminal marking

Marker carrier for STP ... multi-level terminal blocks



STP ...

- The labeling areas of wired multi-level terminal blocks are increased in size using the marker carriers
- Depending on the version, the marker carriers are placed in the receivers on the upper terminal block level

STP ...-ZB

- The marker carriers can, for example, snap into the center marking groove of ST spring-cage terminal blocks and double the marking area; see figure below

CARRIER-TM 300

- Can be snapped into all terminal blocks in the CLIPLINE complete system that have a lateral flat marker groove
- For accommodating ZB ..., UC-TM ... or UCT-TM ... terminal markers which increases the marking area

CARRIER-TMD 300

- Double-row snap-in marker adapter for accommodating two ZB ... or UC-TM ... and UCT-TM ... terminal markers which doubles the marking area



General data

Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Components	

Technical data

PA
V2
-40 ... 100
free from silicone and halogen

Description

Color

Double marker carrier, can be snapped into push-in double-level terminal blocks PTTB 1,5/S, can be labeled with ZB 3,5 or ZBF 3,5

gray

Triple marker carrier, can be snapped into the push-in three-level terminal block PT 1,5/S-3..., can be labeled with ZB 3,5 or ZBF 3,5

gray

Double marker carrier, can be snapped into the double-level terminal blocks STTB 1,5, PTTB 1,5, can be labeled with UC-TM 4, ZB 4 or UC-TMF 4, ZBF 4

gray

Double marker carrier, can be snapped into STTB 2,5, STTB 4, PTTB 2,5, PTTB 4 double-level terminal blocks, can be labeled with UC-TM 5, ZB 5 or UC-TMF 5, ZBF 5

gray

Three-compartment marker carrier, can be snapped into ST 2,5-3... and PT 2,5-3... three-level terminal blocks, can be labeled with UC-TMF 5 and ZBF 5 or ...TM 5 and ZB 5

gray

Double marker carrier, snaps into double-level fast connection terminal blocks, QTTCB ... and QTTCBS, can be labeled with ZB 5 and ZBF 5

gray

Double marker carrier, snaps into all terminal blocks with a width of 4.2 mm and a zack marker strip center groove, can be labeled with ZB 4 or ZBF 4

gray

Double marker carrier, snaps into all terminal blocks with a width of 5.2 mm and a zack marker strip center groove, can be labeled with ZB 5 or ZBF 5

gray

Marker adapter, 300 mm long, can be snapped into the lateral groove on modular terminal blocks, designed to accommodate ZB ... or UC-TM ...

gray

Marker adapter, double row, 300 mm long, can be snapped into the center groove on modular terminal blocks, designed to accommodate two ZB ... or UC-TM ...

gray

Marker adapters, such as the CARRIER-TM 300; marking area at an angle to the top of the terminal block

gray

Ordering data		
Type	Order No.	Pcs. / Pkt.
STP 3,5-2	0830131	100
STP 3,5-3	0830132	100
STP 4-2	0810575	100
STP 5-2	0800967	100
STP 5-3	0810562	100
STP 5-2/S	0800970	100
STP 4-2-ZB	3038613	100
STP 5-2-ZB	3037643	100
CARRIER-TM 300	0828282	25
CARRIER-TMD 300	0828693	25
CARRIER-TMH 300	0830670	25

WS... warning labels



- Warning labels and warning covers serve to cover and identify mains terminal blocks
- This prevents accidental actuation of the terminal points
- The warning labels snap into the screw shafts of the relevant terminal
- Can be isolated lengthwise and crosswise



Warning labels for terminals from the UT ... and ST ... series

General data

Material
Wipe resistance

Technical data

PA
DIN EN 61010-1 (VDE 0411-1)

Ordering data

Description	Color	Type	Order No.	Pcs. / Pkt.
Warning label, for UT series				
5.2 mm wide	yellow	WS UT 2,5	3047923	10
6.2 mm wide	yellow	WS UT 4	3047332	10
8.2 mm wide	yellow	WS UT 6	3047345	10
10.2 mm wide	yellow	WS UT 10	3047361	10
12 mm wide	yellow	WS UT 16	3047374	10
16 mm wide	yellow	WS UT 35	3047387	10
Warning cover, for ST series				
4.2 mm wide	yellow	WST 1,5	3030958	50
5.2 mm wide	yellow	WST 2,5	3030941	50
6.2 mm wide	yellow	WST 4	3030954	50
8.2 mm wide	yellow	WST 6	3030967	10
10.2 mm wide	yellow	WST 10/35	3030006	25



Terminal marking

Terminal marking for Phoenix Contact



Large terminal block markers for central and side labeling

UC-TM 4	UC-TM 5	UC-TM 6	UC-TM 8	UC-TM 10	UC-TM 12	UC-TM 16
see page 58 onwards						
ZB 4	ZB 5	ZB 6	ZB 8	ZB 10	ZB 12	ZB 16
see page 68 onwards						
UCT-TM 4	UCT-TM 5	UCT-TM 6	UCT-TM 8	UCT-TM 10	UCT-TM 12	UCT-TM 16
see page 82 onwards						
TMT 4 R	TMT 5 R	TMT 6 R	TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R
see page 94 onwards						
4	5	6	8	10	12	16

Screw terminal blocks

UT 2,5..., UTTB 2,5..., UTN 2,5..., MUT 2,5...	5							
UT 4..., UTTB 4..., UTME(D) 4..., UTN 4..., USST 4...	6							
UT 6..., UTME(D) 6..., UTN 6..., USST 6...	8							
UT 10..., UTN 10..., USST 10...	10							
UT 16..., UTI 16...	12							
UT 35	16							
UK 1,5 N..., USLKG 1,5 N	4							
UK 2,5 N..., USLKG 2,5 N, UK 3 N..., USLKG 3, UKK(B) 3..., UDK 3..., MTK(D)...	5							
UK 5 N..., USLKG 5 N, UDK 4..., UKK(B) 5, UDMTK(B) 5..., UKN 2,5..., UKN 5..., PIK 4..., SSK 0525...	6							
UK 6 N..., USLKG 6 N, UKN 6..., PIK 6..., URTK..., UGSK..., URDK..., UK 6-T..., SSK 110	8							
UK 10 N..., USLKG 10 N, UKKB 10..., UKN 10..., SK 116...	10							
U(I)K 16..., U(I)SLKG 16, UIKN 16...	12							
U(I)K 35..., U(I)SLKG 35, UIKN 35..., SSK 135...	15							
UKH..., USLKG 50/95, USLKG 50/70/95	> 16							
DIK(D) 1,5..., DOK(D) 1,5..., VIOK 1,5..., DLK(B) 2,5..., SLKK 5...	6							
UVKB 4..., UHK 4..., USK 4..., UK 4..., UKK 4..., VBST 4...	6							
UK 5-HESI..., UKK 5-HESI..., UK-SI..., UK 6-FSI..., UK 10-DREHSI...	8							
UK 6,3-HESI..., USIG...	10							
MT 1,5..., MTTB 1,5...	4							
MBK 6..., MSLKG 6	8							
DFK 4...	6							
DFK 5...	9.5							
UW(V) 4...	8							
UW(V) 10.../16.../25...	≥ 10							
HDFK(V) 50..., HDFK(V) 95...,	> 18							

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label



Small terminal block markers for central and side labeling

UC-TMF 4	UC-TMF 5	UC-TMF 6	UC-TMF 8	UC-TMF 10	UC-TMF 12	UC-TMF 16	US-TMF 100
see page 62 onwards							91
ZBF 4	ZBF 5	ZBF 6	ZBF 8	ZBF 10	ZBF 12	ZBF 16	
see page 76 onwards							
UCT-TMF 4	UCT-TMF 5	UCT-TMF 6	UCT-TMF 8	UCT-TMF 10	UCT-TMF 12	UCT-TMF 16	
see page 86 onwards							
TMT 4 R	TMT 5 R	TMT 6 R	TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R	
see page 94 onwards							
Pitch	4	5	6	8	10	12	16

Screw terminal blocks

UT 2,5..., UTTB 2,5..., UTN 2,5..., MUT 2,5..., UTI 2,5...	5							
UT 4..., UTTB 4..., UTME(D) 4..., UTN 4..., USST 4...	6							
UT 6..., UTME(D) 6..., UTN 6..., USST 6...	8							
UT 10..., UTN 10..., USST 10...	10							
UT 16..., UTI 16...	12							
UT 35	16							
UK 1,5 N..., USLKG 1,5 N	4							
UK 2,5 N..., USLKG 2,5 N, UK 3 N..., USLKG 3, UKK(B) 3..., UDK 3..., MTK(D)...	5							
UK 5 N..., USLKG 5 N, UDK 4..., UKK(B) 5, UD-MTK(B) 5..., UKN 2,5..., UKN 5..., PIK 4..., SSK 0525	6							
UK 6 N..., USLKG 6 N, UKN 6..., PIK 6..., URTK..., UGSK..., URDK..., UK 6-T, SSK 110	8							
UK 10 N..., USLKG 10 N, UKKB 10..., UKN 10..., SSK 116	10							
U(I)K 16..., U(I)SLKG 16, UIKN 16...	12							
U(I)K 35..., U(I)SLKG 35, UIKN 35..., SSK 135	15							
UKH..., USLKG 50/95, USLKG 50/70/95	> 16							
DIK(D) 1,5..., DOK(D) 1,5..., VIOK 1,5..., DLK(B) 2,5..., SLKK 5...	6							
UVKB 4..., UHK 4..., USK 4..., UK 4..., UKK 4..., VBST 4...	6							
UK 5-HESI..., UKK 5-HESI..., UK-SI..., UK 6-FSI..., UK 10-DREHSI...	8							
UK 6,3-HESI..., UK 10,3 HESI..., USIG...	10							
MT 1,5..., MTTB 1,5...	4							
MBK 6..., MSLKG 6	8							
DFK 4...	6							
DFK 5...	9.5							
UW(V) 4...	8							
UW(V) 10.../16.../25...	≥ 10							
HDFK(V) 50..., HDFK(V) 95...	> 18							

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Phoenix Contact



Large terminal block markers for central labeling

	UC-TM 4	UC-TM 5	UC-TM 6		UC-TM 8	UC-TM 10	UC-TM 12	UC-TM 16
	see page 58 onwards							
ZB 3,5	ZB 4	ZB 5	ZB 6	ZB 7,62	ZB 8	ZB 10	ZB 12	ZB 16
	see page 68 onwards							
UCT-TM 3,5	UCT-TM 4	UCT-TM 5	UCT-TM 6	UCT-TM 7,62	UCT-TM 8	UCT-TM 10	UCT-TM 12	UCT-TM 16
	see page 82 onwards							
	TMT 4 R	TMT 5 R	TMT 6 R		TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R
	see page 94 onwards							
3.5	4	5	6	7.62	8	10	12	16

Spring-cage terminal blocks

ST 1,5/S-QUATTRO	3.5								
ST 1,5...	4								
ST 2,5... (except ST 2,5-3L)	5								
ST 4..., STTB 4...	6								
ST 6..., STME(D) 6...	8								
ST 10...	10								
ST 16...	12								
ST 35...	16								
ST 4-HESI (6,3 x 32), ST 4-FSI...	8								
STU 2,5...	5								
STU 4..., STTBU 4...	6								
STU 10...	10								
STU 35...	16								
STS 2,5..., STTBS 2,5...	5								
STS 4..., STTBS 4...	6								
STS 6...	8								
STI 2,5..., STN 2,5...	5								
STI 4..., STN 4...	6								
STI 10..., STN 10...	10								
STI 16..., STN 16...	12								
STN 35...	16								
SRTK 6..., SGSK 6..., SRDK 6...	8								
ZRV...	7.62								
ZRTK..., ZGSK..., ZRDK...	8								

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label



Small terminal block markers for central and side labeling

	UC-TMF 4	UC-TMF 5	UC-TMF 6	UC-TMF 8	UC-TMF 10	UC-TMF 12	UC-TMF 16	US-TMF 100
	see page 62 onwards							91
ZBF 3,5	ZBF 4	ZBF 5	ZBF 6	ZBF 8	ZBF 10	ZBF 12	ZBF 16	
	see page 76 onwards							
UCT-TMF 3,5	UCT-TMF 4	UCT-TMF 5	UCT-TMF 6	UCT-TMF 8	UCT-TMF 10	UCT-TMF 12	UCT-TMF 16	
	see page 86 onwards							
	TMT 4 R	TMT 5 R	TMT 6 R	TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R	
	see page 94 onwards							
Pitch	3.5	4	5	6	8	10	12	16

Spring-cage terminal blocks

ST 1,5/S-QUATTRO	3.5								
ST 1,5..., STTB 1,5...	4								
ST 2,5..., STTB 2,5..., ST 2,5-3..., STIO...	5								
ST 4..., STTB 4...	6								
ST 6..., STME(D) 6...	8								
ST 10...	10								
ST 16...	12								
ST 35...	16								
ST 4-HESI (6,3 x 32), ST 4-FSI...	8								
STU 2,5...	5								
STU 4..., STTBU 4...	6								
STU 10...	10								
STU 35...	16								
STS 2,5..., STTBS 2,5...	5								
STS 4..., STTBS 4...	6								
STS 6...	8								
STI 2,5..., STN 2,5...	5								
STI 4..., STN 4...	6								
STI 10..., STN 10...	10								
STI 16..., STN 16...	12								
STN 35...	16								
SRTK 6..., SGSK 6..., SRDK 6...	8								
ZRV...	7.62								
ZRTK..., ZGSK..., ZRDK...	8								
ZFK 6-DREHSI...	12								
ZFKK 2,5...	5								
ZDMTK 2,5...	6								
ZPV...	5								
MZFKK 1,5...	5								
MSB(V) 2,5.../ MSDB(V) 2,5...	5/10								

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Phoenix Contact



Large terminal block markers for central labeling

	UC-TM 4	UC-TM 5	UC-TM 6	UC-TM 8	UC-TM 10	UC-TM 12	UC-TM 16	US-TM 100
	see page 58 onwards							91
ZB 3,5	ZB 4	ZB 5	ZB 6	ZB 8	ZB 10	ZB 12	ZB 16	
	see page 68 onwards							
UCT-TM 3,5	UCT-TM 4	UCT-TM 5	UCT-TM 6	UCT-TM 8	UCT-TM 10	UCT-TM 12	UCT-TM 16	
	see page 82 onwards							
	TMT 4 R	TMT 5 R	TMT 6 R	TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R	
	see page 94 onwards							
Pitch	3.5	4	5	6	8	10	12	16

Push-in connection terminal blocks

PT 1,5/S..., PTTB 1,5/S..., PTS 1,5/S..., PTTBS 1,5/S...	3.5								
PT 2,5..., PTTB 2,5..., PTTBS 2,5..., PTI 2,5..., PTN 2,5..., PTS 2,5..., PTU 2,5...	5								
PT 4..., PTME(D) 4..., PTTB 4..., PTI 4..., PTN 4..., PTU 4...	6								
PT 6..., PTME 6..., PTI 6..., PTN 6...	8								
PT 10...	10								
PT 16...	12								
PTPOWER...	25								

Fast connection terminal blocks

QTC(U)(S) 1,5...,	5								
QTC(U)(S) 2,5...,	6								

Bolt connection terminal blocks

OTTA 2,5...	9								
OTTA 6...	11								
OTTA 25...	18								
RT(O) 3..., RBO...	12								
RT(O) 5...	16								
RT(O) 8...	20								
HV M.../1, HV M.../2	> 13								
UHV 25- UHV 240	> 26								

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label



Small terminal block markers for central and side labeling

	UC-TMF 4	UC-TMF 5	UC-TMF 6	UC-TMF 8	UC-TMF 10	UC-TMF 12	UC-TMF 16	US-TMF 100
	see page 62 onwards							91
ZBF 3,5	ZBF 4	ZBF 5	ZBF 6	ZBF 8	ZBF 10	ZBF 12	ZBF 16	
	see page 76 onwards							
UCT-TMF 3,5	UCT-TMF 4	UCT-TMF 5	UCT-TMF 6	UCT-TMF 8	UCT-TMF 10	UCT-TMF 12	UCT-TMF 16	
	see page 86 onwards							
	TMT 4 R	TMT 5 R	TMT 6 R	TMT 8 R	TMT 10 R	TMT 100 R	TMT 100 R	
	see page 94 onwards							
Pitch	3.5	4	5	6	8	10	12	16

Push-in connection terminal blocks

PT 1,5/S..., PTTB 1,5/S..., PTIO..., PTS 1,5/S..., PTTBS 1,5/S, MPT 1,5/S...	3.5								
PT 2,5..., PTTB 2,5..., PTTBS 2,5..., PTI 2,5..., PTN 2,5..., PTS 2,5..., PTU 2,5..., MPT 2,5...	5								
PT 4..., PTME(D) 4..., PTTB 4..., PTI 4..., PTN 4..., PTU 4	6								
PT 6..., PTME 6..., PTI 6..., PTN 6...	8								
PT 10...	10								
PT 16...	12								
PTPOWER...	25								

Fast connection terminal blocks

QTC(U)(S) 1,5..., QTTCB(U (S) 1,5...	5								
QTC(U)(S) 2,5...,	6								

Bolt connection terminal blocks

OTTA 2,5...	9								
OTTA 6...	11								
OTTA 25...	18								
RT(O) 3...	12								
RT(O) 5...	16								
RT(O) 8...	20								
HV M.../1, HV M.../2	> 13								
UHV 25- UHV 240	> 26								

COMBI plugs and couplings

UPBV 2,5..., SP(V) 2,5..., SP-H 2,5 ..., SP(D)B 2,5..., SC 2,5...	5								
UP 4..., UPBV 4...	5								
SP 4..., SC 4...	6								
PP-H 1,5/S..., PPC 1,5/S...	3.5								
PP-H 2,5..., QP 1,5...	5								
UP 6...	8								
PP-H 4...	6								
PP-H 6..., PPC 6...	8								

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



Can be printed with:



UV LED technology



Plotter



96 markers for a terminal block width of 5 mm

- The UC1-TM ... UniCard labeling range includes markers for Weidmüller, Conta-Clip, and Klemmsan terminal blocks
- The markers, which are supplied in uni-form sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if re-quired
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER

96

12

PA

V2

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Technical data

Ordering data

Description	Color
UniCard, for labeling terminal block brands from other companies	
	white
	red
	orange
	yellow
	blue
	green
	white
With offset foot, see pictogram product photo	
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	blue
	green
	white
With offset foot, see pictogram product photo	

Type	Order No.	Pcs. / Pkt.
UC1-TM 5	0821784	10
UC1-TM 5 RD	0828185	10
UC1-TM 5 OG	0828186	10
UC1-TM 5 YE	0828187	10
UC1-TM 5 BU	0828188	10
UC1-TM 5 GN	0828189	10
UC1-TM 5 CUS	0824507	1
UC1-TM 5 RD CUS	0828318	1
UC1-TM 5 OG CUS	0828319	1
UC1-TM 5 YE CUS	0828320	1
UC1-TM 5 BU CUS	0828321	1
UC1-TM 5 GN CUS	0828322	1


Magazine, for CMS-P1-PLOTTER

Accessories

P1 UC-MAG 5	5146118	1
-------------	---------	---



96 markers for a terminal block width of 5 mm, with an offset foot



80 markers for a terminal block width of 6 mm



64 markers for a terminal block width of 8 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
96
12
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC1U-TM 5	0821302	10
UC1U-TM 5 CUS	0824521	1

Accessories

P1 UC-MAG 5	5146118	1
-------------	---------	---

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
80
10
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC1-TM 6	0821247	10
UC1-TM 6 RD	0828190	10
UC1-TM 6 OG	0828191	10
UC1-TM 6 YE	0828192	10
UC1-TM 6 BU	0828193	10
UC1-TM 6 GN	0828194	10
UC1-TM 6 CUS	0824509	1
UC1-TM 6 RD CUS	0828323	1
UC1-TM 6 OG CUS	0828324	1
UC1-TM 6 YE CUS	0828325	1
UC1-TM 6 BU CUS	0828326	1
UC1-TM 6 GN CUS	0828327	1

Accessories

P1 UC-MAG 5	5146118	1
-------------	---------	---

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
64
8
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UC1-TM 8	0821739	10
UC1-TM 8 RD	0828195	10
UC1-TM 8 OG	0828196	10
UC1-TM 8 YE	0828197	10
UC1-TM 8 BU	0828198	10
UC1-TM 8 GN	0828199	10
UC1-TM 8 CUS	0824511	1
UC1-TM 8 RD CUS	0828328	1
UC1-TM 8 OG CUS	0828329	1
UC1-TM 8 YE CUS	0828330	1
UC1-TM 8 BU CUS	0828331	1
UC1-TM 8 GN CUS	0828332	1

Accessories

P1 UC-MAG 5	5146118	1
-------------	---------	---

Terminal marking


UniCard marking for terminal blocks from other manufacturers with a flat marker groove



Can be printed with:



UV LED technology



Plotter



120 markers for a terminal block width of 4 mm

- The UC1-TMF ... UniCard labeling range includes markers for Weidmüller, Wago, ABB (entrelec), Conta-Clip, and Klemmsan terminal blocks
- The markers, which are supplied in uni-form sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER

120

15

PA

V2

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Technical data

Ordering data

Description	Color
UniCard , for labeling terminal block brands from other companies	
	white
	red
	orange
	yellow
	blue
	green
UniCard , for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	
	white
	red
	orange
	yellow
	blue
	green

Type	Order No.	Pcs. / Pkt.
UC1-TMF 4	0821360	10
UC1-TMF 4 RD	0828200	10
UC1-TMF 4 OG	0828201	10
UC1-TMF 4 YE	0828202	10
UC1-TMF 4 BU	0828203	10
UC1-TMF 4 GN	0828204	10
UC1-TMF 4 CUS	0824513	1
UC1-TMF 4 RD CUS	0828333	1
UC1-TMF 4 OG CUS	0828334	1
UC1-TMF 4 YE CUS	0828335	1
UC1-TMF 4 BU CUS	0828336	1
UC1-TMF 4 GN CUS	0828337	1

Accessories

Magazine, for CMS-P1-PLOTTER

P1 UC-MAG 4	5146105	1
--------------------	----------------	---



96 markers for a terminal block width of 5 mm



80 markers for a terminal block width of 6 mm



64 markers for a terminal block width of 8 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
96
12
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC1-TMF 5	0821425	10
UC1-TMF 5 RD	0828205	10
UC1-TMF 5 OG	0828206	10
UC1-TMF 5 YE	0828127	10
UC1-TMF 5 BU	0828207	10
UC1-TMF 5 GN	0828208	10
UC1-TMF 5 CUS	0824515	1
UC1-TMF 5 RD CUS	0828338	1
UC1-TMF 5 OG CUS	0828339	1
UC1-TMF 5 YE CUS	0828340	1
UC1-TMF 5 BU CUS	0828341	1
UC1-TMF 5 GN CUS	0828342	1

Accessories		
P1 UC-MAG 4	5146105	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
80
10
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC1-TMF 6	0821483	10
UC1-TMF 6 RD	0828209	10
UC1-TMF 6 OG	0828210	10
UC1-TMF 6 YE	0828211	10
UC1-TMF 6 BU	0828212	10
UC1-TMF 6 GN	0828213	10
UC1-TMF 6 CUS	0824517	1
UC1-TMF 6 RD CUS	0828343	1
UC1-TMF 6 OG CUS	0828344	1
UC1-TMF 6 YE CUS	0828345	1
UC1-TMF 6 BU CUS	0828346	1
UC1-TMF 6 GN CUS	0828347	1

Accessories		
P1 UC-MAG 4	5146105	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER
64
8
PA
V2
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC1-TMF 8	0821548	10
UC1-TMF 8 RD	0828214	10
UC1-TMF 8 OG	0828215	10
UC1-TMF 8 YE	0828216	10
UC1-TMF 8 BU	0828217	10
UC1-TMF 8 GN	0828218	10
UC1-TMF 8 CUS	0824519	1
UC1-TMF 8 RD CUS	0828348	1
UC1-TMF 8 OG CUS	0828349	1
UC1-TMF 8 YE CUS	0828350	1
UC1-TMF 8 BU CUS	0828351	1
UC1-TMF 8 GN CUS	0828352	1

Accessories		
P1 UC-MAG 4	5146105	1

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



- The UC2-TM ... UniCard labeling range includes markers for Wago terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

Can be printed with:



UV LED technology



Plotter



120 markers for a terminal block width of 4 mm

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data	
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER	
120	
15	
PA	
V2	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white white white white

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2-TM 4	0821713	10
UC2-TM 4 CUS	0824533	1

Magazine, for CMS-P1-PLOTTER

Accessories		
P1 UC-MAG 5	5146118	1



96 markers for a terminal block width of 5 mm



80 markers for a terminal block width of 6 mm



64 markers for a terminal block width of 8 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 96 12 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2-TM 5	0821690	10
UC2-TM 5 CUS	0824535	1

Accessories		
P1 UC-MAG 5	5146118	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 80 10 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2-TM 6	0821674	10
UC2-TM 6 CUS	0824537	1

Accessories		
P1 UC-MAG 5	5146118	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 64 8 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2-TM 8	0821755	10
UC2-TM 8 CUS	0824539	1

Accessories		
P1 UC-MAG 5	5146118	1

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a flat marker groove



- The UC2F-TM ... UniCard labeling range includes markers for ABB (entrelec) terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:
An overview of markable terminal blocks can be found on page 140 onwards.
1) For ordering example, see page 359.

Can be printed with:



UV LED technology



Plotter



120 markers for a terminal block width of 4 mm

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white

Magazine, for CMS-P1-PLOTTER

Technical data	
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER	
120	
15	
PA	
V2	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
free from silicone and halogen	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2F-TM 4	0822178	10
UC2F-TM 4 CUS	0824525	1

Accessories		
P1 UC-MAG 4	5146105	1



96 markers for a terminal block width of 5 mm



80 markers for a terminal block width of 6 mm



64 markers for a terminal block width of 8 mm

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
96		
12		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2F-TM 5	0822181	10
UC2F-TM 5 CUS	0824527	1
Accessories		
P1 UC-MAG 4	5146105	1

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
80		
10		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2F-TM 6	0822194	10
UC2F-TM 6 CUS	0824529	1
Accessories		
P1 UC-MAG 4	5146105	1

Technical data		
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER		
64		
8		
PA		
V2		
-40 ... 120		
DIN EN 61010-1 (VDE 0411-1)		
free from silicone and halogen		
Ordering data		
Type	Order No.	Pcs. / Pkt.
UC2F-TM 8	0822204	10
UC2F-TM 8 CUS	0824531	1
Accessories		
P1 UC-MAG 4	5146105	1

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



Can be printed with:



UV LED technology



Plotter



96 markers for a terminal block width of 5 mm

- The UC3-TM ... UniCard labeling range includes markers for Wieland and Legrand terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels

Number of individual labels per strip

Material

Inflammability class according to UL 94

Temperature range

[°C]

Wipe resistance

Components

BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER

96

12

PA

V2

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Description

Color

UniCard, for labeling terminal block brands from other companies

white

UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications¹⁾

white

Ordering data

Type	Order No.	Pcs. / Pkt.
UC3-TM 5	0822369	10
UC3-TM 5 CUS	0826888	1

Accessories

P1 UC-MAG 1	5146079	1
-------------	---------	---

Magazine, for CMS-P1-PLOTTER



80 markers for a terminal block width of 6 mm



64 markers for a terminal block width of 8 mm

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 80 10 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC3-TM 6	0822385	10
UC3-TM 6 CUS	0826889	1

Accessories		
P1 UC-MAG 1	5146079	1

Technical data
BLUEMARK CLED • BLUEMARK LED • CMS-P1-PLOTTER 64 8 PA V2 -40 ... 120 DIN EN 61010-1 (VDE 0411-1) free from silicone and halogen

Ordering data		
Type	Order No.	Pcs. / Pkt.
UC3-TM 8	0822408	10
UC3-TM 8 CUS	0826890	1

Accessories		
P1 UC-MAG 1	5146079	1

Marking and labeling - MARKING system

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove

- The UCT1-TM ... UniCard labeling range includes markers for Weidmüller, Conta-Clip, and Klemmsan terminal blocks
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements



72 markers for a terminal block width of 5 mm



60 markers for a terminal block width of 6 mm

Notes:
An overview of markable terminal blocks can be found on page 140 onwards.
¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
72
12
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description

Color

UniCard, for labeling terminal block brands from other companies

white
red
orange
yellow
blue
green

UCT1-TM 5
UCT1-TM 5 RD
UCT1-TM 5 OG
UCT1-TM 5 YE
UCT1-TM 5 BU
UCT1-TM 5 GN

0829482
0829226
0829227
0829228
0829229
0829230

10
10
10
10
10
10

UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications¹⁾

white
red
orange
yellow
blue
green

UCT1-TM 5 CUS
UCT1-TM 5 RD CUS
UCT1-TM 5 OG CUS
UCT1-TM 5 YE CUS
UCT1-TM 5 BU CUS
UCT1-TM 5 GN CUS

0829700
0829701
0829702
0829703
0829704
0829705

1
1
1
1
1
1

Accessories

Magazine, for THERMOMARK CARD ...

for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ...,
UCT-EM (5X10), UCT-EM (6X10)

THERMOMARK CARD-UCT-MAG1

5146480

1

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
60
10
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Type

Order No.

Pcs. /
Pkt.

UCT1-TM 6
UCT1-TM 6 RD
UCT1-TM 6 OG
UCT1-TM 6 YE
UCT1-TM 6 BU
UCT1-TM 6 GN

0829483
0829232
0829233
0829234
0829235
0829236

10
10
10
10
10
10

UCT1-TM 6 CUS
UCT1-TM 6 RD CUS
UCT1-TM 6 OG CUS
UCT1-TM 6 YE CUS
UCT1-TM 6 BU CUS
UCT1-TM 6 GN CUS

0829706
0829707
0829708
0829709
0829710
0829711

1
1
1
1
1
1

Accessories

THERMOMARK CARD-UCT-MAG1

5146480

1

UniCard marking for terminal blocks from other manufacturers with a flat marker groove

- The UCT1-TMF ... UniCard marking range includes markers for Weidmüller, Wago, ABB (entrelec), Conta-Clip, and Klemmsan terminal blocks
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements



72 markers for a terminal block width of 5 mm



60 markers for a terminal block width of 6 mm

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
72
12
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED
60
10
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description

Color

UniCard, for labeling terminal block brands from other companies

white
red
orange
yellow
blue
green

UCT1-TMF 5
UCT1-TMF 5 RD
UCT1-TMF 5 OG
UCT1-TMF 5 YE
UCT1-TMF 5 BU
UCT1-TMF 5 GN

Order No.

0829237
0829238
0829239
0829240
0829241
0829242

Pcs. /
Pkt.

10
10
10
10
10
10

Ordering data

Type

Order No.

Pcs. /
Pkt.

UCT1-TMF 6
UCT1-TMF 6 RD
UCT1-TMF 6 OG
UCT1-TMF 6 YE
UCT1-TMF 6 BU
UCT1-TMF 6 GN

0829243
0829244
0829245
0829246
0829247
0829248

10
10
10
10
10
10

UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications¹⁾

white
red
orange
yellow
blue
green

UCT1-TMF 5 CUS
UCT1-TMF 5 RD CUS
UCT1-TMF 5 OG CUS
UCT1-TMF 5 YE CUS
UCT1-TMF 5 BU CUS
UCT1-TMF 5 GN CUS

0829718
0829719
0829720
0829721
0829722
0829723

1
1
1
1
1
1

UCT1-TMF 6 CUS
UCT1-TMF 6 RD CUS
UCT1-TMF 6 OG CUS
UCT1-TMF 6 YE CUS
UCT1-TMF 6 BU CUS
UCT1-TMF 6 GN CUS

0829724
0829725
0829726
0829727
0829728
0829729

1
1
1
1
1
1

Accessories

Plastic magazine, for THERMOMARK CARD ..., for accommodating: UCT1-TMF...

THERMOMARK CARD-UCT-MAG4

5146614

1

Accessories

THERMOMARK CARD-UCT-MAG4

5146614

1

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



72 markers for a terminal block width of 5 to 6 mm

- The UCT2-TM 5/6 UniCard markers are suitable for Wago terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD and BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
72
12
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white

Type	Order No.	Pcs. / Pkt.
UCT2-TM 5/6	0829249	10
UCT2-TM 5/6 CUS	0829250	1

Accessories

Type	Order No.	Pcs. / Pkt.
THERMOMARK CARD-UCT-MAG5	5146615	1

Plastic magazine, for THERMOMARK CARD ..., for accommodating: UCT2-TM ...

UniCard marking for terminal blocks from other manufacturers with a tall marker groove

- The UCT3-TM ... UniCard labeling range includes markers for Wieland and Legrand terminal blocks
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements



72 markers for a terminal block width of 5 mm



60 markers for a terminal block width of 6 mm

Notes:
An overview of markable terminal blocks can be found on page 140 onwards.
¹⁾ For ordering example, see page 359.

General data		Technical data			Technical data		
Can be printed with:		THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED			THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED		
Number of individual labels		72			60		
Number of individual labels per strip		12			10		
Material		PC			PC		
Inflammability class according to UL 94		V0			V0		
Temperature range		-40 ... 120			-40 ... 120		
Wipe resistance		DIN EN 61010-1 (VDE 0411-1)			DIN EN 61010-1 (VDE 0411-1)		
Components		free from silicone and halogen			free from silicone and halogen		
Ordering data		Ordering data			Ordering data		
Description	Color	Type	Order No.	Pcs. / Pkt.	Type	Order No.	Pcs. / Pkt.
UniCard, for labeling terminal block brands from other companies	white	UCT3-TM 5	0829251	10	UCT3-TM 6	0829252	10
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white	UCT3-TM 5 CUS	0829955	1	UCT3-TM 6 CUS	0829956	1
Accessories		Accessories			Accessories		
Magazine, for THERMOMARK CARD ..., for accommodating: UCT3-TM ...		THERMOMARK CARD-UCT-MAG6	5146616	1	THERMOMARK CARD-UCT-MAG6	5146616	1

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



66 markers for a terminal block width of 5 mm

- The UCT5-TM ... UniCard labeling range includes markers for Cabur terminal blocks
- The markers, which are supplied in uniform sheets, can be printed onto quickly, easily, and precisely using the THERMOMARK CARD and BLUEMARK CLED
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multiline labeling
- The sheets provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED
66
11
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white

Type	Order No.	Pcs. / Pkt.
UCT5-TM 5	0828750	10
UCT5-TM 5 CUS	0829742	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Magazine, for THERMOMARK CARD ... for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ..., UCT-EM (5X10), UCT-EM (6X10)

PRINTED
FOR YOU



54 markers for a terminal block width of 6 mm

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED

54

9

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Type	Order No.	Pcs. / Pkt.
UCT5-TM 6	0828752	10
UCT5-TM 6 CUS	0829743	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a flat marker groove



- The UniCard UCT6M ... labeling range includes markers for ABB terminal blocks
- The markers, which are supplied in uniform sheets, can be marked quickly, precisely, and easily
- The multi-section marking strips are easy to fit and can be easily separated if required
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:
An overview of markable terminal blocks can be found on page 140 onwards.
1) For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



72 markers for a terminal block width of 5.2 mm

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white

Magazine, for THERMOMARK CARD ...
for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ..., UCT-EM (5X10), UCT-EM (6X10)

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
72	
12	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
Free from silicone, halogen and cadmium	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT6M-TM 5	0830756	10
UCT6M-TM 5 CUS	0830762	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

N

N

PRINTED
FOR YOU

PRINTED
FOR YOU


60 markers for a terminal block width of
6.2 mm



42 markers for a terminal block width of
8.2 mm

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED

60

10

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

Free from silicone, halogen and cadmium

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED

42

7

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

Free from silicone, halogen and cadmium

Ordering data

Type	Order No.	Pcs. / Pkt.
UCT6M-TM 6	0830757	10
UCT6M-TM 6 CUS	0830763	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Ordering data

Type	Order No.	Pcs. / Pkt.
UCT6M-TM 8	0830758	10
UCT6M-TM 8 CUS	0830764	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Terminal marking

UniCard marking for terminal blocks from other manufacturers with a tall marker groove



- The UniCard UCT6R-TM ... labeling range includes markers for ABB terminal blocks
- The markers, which are supplied in uniform sheets, can be marked quickly, precisely, and easily
- The multi-section marking strips are easy to fit and can be easily separated if required
- Labeling service: Phoenix Contact can custom-label all UniCard markers in accordance with your requirements

Notes:
An overview of markable terminal blocks can be found on page 140 onwards.
1) For ordering example, see page 359.

Can be printed with:



Thermal transfer for sheets and cards



UV LED technology



72 markers for a terminal block width of 5.2 mm

General data	
Can be printed with:	
Number of individual labels	
Number of individual labels per strip	
Material	
Inflammability class according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Description	Color
UniCard, for labeling terminal block brands from other companies	white
UniCard, for labeling terminal block brands from other companies, labeled acc. to customer specifications ¹⁾	white

Magazine, for THERMOMARK CARD ... for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ..., UCT-EM (5X10), UCT-EM (6X10)

Technical data	
THERMOMARK CARD PLUS • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED	
72	
12	
PC	
V0	
-40 ... 120	
DIN EN 61010-1 (VDE 0411-1)	
Free from silicone, halogen and cadmium	

Ordering data		
Type	Order No.	Pcs. / Pkt.
UCT6R-TM 5	0830753	10
UCT6R-TM 5 CUS	0830759	1

Accessories		
THERMOMARK CARD-UCT-MAG1	5146480	1

N

N

PRINTED
FOR YOU

PRINTED
FOR YOU


60 markers for a terminal block width of
6.2 mm



42 markers for a terminal block width of
8.2 mm

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED

60

10

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

Free from silicone, halogen and cadmium

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD •
BLUEMARK CLED • BLUEMARK LED

42

7

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

Free from silicone, halogen and cadmium

Ordering data

Type	Order No.	Pcs. / Pkt.
UCT6R-TM 6	0830754	10
UCT6R-TM 6 CUS	0830760	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Ordering data

Type	Order No.	Pcs. / Pkt.
UCT6R-TM 8	0830755	10
UCT6R-TM 8 CUS	0830761	1

Accessories

THERMOMARK CARD-UCT-MAG1	5146480	1
--------------------------	---------	---

Terminal marking

UniSheet marking for terminal blocks from other manufacturers

Can be printed with:



Thermal transfer for sheets and cards



12 strips with a strip width of 104 mm

- The US2-TM 100 UniSheet markers are suitable for Wago terminal blocks
- The markers, which are supplied as uniform cards, can be printed onto quickly, easily, and cost-effectively using the THERMOMARK CARD
- The perforated marking strips are easy to separate and can be easily fitted
- The cards provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniSheet markers in accordance with your requirements

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:
 Number of individual labels
 Number of individual labels per strip
 Material
 Flammability class according to UL 94
 Temperature range
 Wipe resistance
 Components

[°C]

Technical data

THERMOMARK CARD PLUS • THERMOMARK CARD
 12
 1
 PVC
 V0
 -30 ... 70
 DIN EN 61010-1 (VDE 0411-1)
 Silicone-free

Ordering data

Description	Color
UniSheet, for labeling terminal blocks from other manufacturers with a Wago TopJob S terminal block groove, strip length of 104 mm	white
UniSheet, for labeling terminal blocks from other manufacturers with a Wago TopJob S terminal block groove, labeled acc. to customer specifications , strip length of 104 mm ¹⁾	white

Type	Order No.	Pcs. / Pkt.
US2-TM 100	0829268	10
US2-TM 100 CUS	0829950	1

Accessories

Type	Order No.	Pcs. / Pkt.
THERMOMARK CARD-US-MAG1	5146451	1

Magazine, for THERMOMARK CARD..., for accommodating all US-... materials

Marker strips, continuous, for terminal blocks from other manufacturers

- The TMT2 . . . markers are suitable for Wago terminal blocks
- The marker strips are automatically perforated and cut to the desired length
- The markers in the form of continuous rolls can be printed quickly, easily, and precisely with the THERMOMARK ROLL... printers

Can be printed with:



Thermal transfer for rolls



N

Marker with strip height of 11 mm, continuous

Notes:

An overview of markable terminal blocks can be found on page 140 onwards.

¹⁾ For ordering example, see page 359.

General data

Can be printed with:

Number of individual labels
Number of individual labels per strip
Material
Inflammability class according to UL 94
Temperature range
Wipe resistance
Components

[°C]

Technical data

THERMOMARK ROLL • THERMOMARK ROLL X1 • THERMOMARK X1.1 • THERMOMARK X1.2 • THERMOMARK S1.1
1
1
Polyester
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color
UniSheet, for marking terminal blocks from other manufacturers with a Wago TopJob S terminal block groove, strip height of 11 mm, continuous	white
UniSheet, for marking terminal blocks from other manufacturers with a Wago TopJob S terminal block groove, labeled according to customer specifications , strip height of 11 mm, continuous ¹⁾	white

Type	Order No.	Pcs. / Pkt.
TMT2 (EX11)R	0802683	1
TMT2 (EX11)R CUS	0830811	1

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Weidmüller

			UC1U-TM 5	UC1-TM 5	UC1-TM 6	UC1-TM 8	UCT1-TM 5	UCT1-TM 6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UC1-TMF 8	UCT1-TMF 5	UCT1-TMF 6
UniCard, white			0821302	0821784	0821247	0821739	0829482	0829483	0821360	0821425	0821483	0821548	0829237	0829243
Pitch			5	5	6	8	5	6	4	5	6	8	5	6
Screw connection terminal blocks														
AKZ 1,5/AKZ 2,5	5													
AKZ 4/AKE 4	6													
DLD(A)2,5.../MAK 2,5/VLI 2,5	6													
SAK 10/16/35/95//EK 10/16/35	5													
SAK 2,5/4//EK 2,5/4	6													
SAKS.../SAK 6//EK 6	8													
WDK 2,5/4...	5													
WDL 2,5...	6													
WDT...	5													
WDU (WPE) 1,5/2,5...	5													
WDU (WPE) 4...	6													
WDU (WPE) 6-240...	8													
WF...	8													
WFF...	6													
WNT 2,5	5													
WNT 4	6													
WNT 6-WNT 70N	8													
WSI 4	6													
WSI 6	6													
WTL 4/6	6													
WTR 2,5...	5													
WTR 4...	6													

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

													
UniCard, white		UC1U-TM 5	UC1-TM 5	UC1-TM 6	UC1-TM 8	UCT1-TM 5	UCT1-TM 6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UC1-TMF 8	UCT1-TMF 5	UCT1-TMF 6
		0821302	0821784	0821247	0821739	0829482	0829483	0821360	0821425	0821483	0821548	0829237	0829243
	Pitch	5	5	6	8	5	6	4	5	6	8	5	6

Spring-cage connection terminal blocks

ZDK 2,5 (PE).../ZDLD 2,5.../ZMAK 2,5	5												
ZDK 4 (PE)...	6												
ZDK 6/S	8												
ZDL 2,5/S.../ZDL 4/S...	5												
ZDT 2,5 (PE).../ZT (PE) 2,5.../ZP 2,5...	5												
ZDU (ZPE) 10...-ZDU (ZPE) 35/ZEI 16...	5												
ZDU (ZPE) 2,5...	5												
ZDU (ZPE) 4...	6												
ZDU (ZPE) 6.../ZEI 6	8												
ZNT 2,5/10/16/35...	5												
ZNT 4	6												
ZNT 6	8												
ZPV 1,5.../ZIA 1,5.../ZVL 1,5...	5												
ZSI 2,5.../ZSI 6...	5												
ZSI 6-2/FC	6												
ZT (PE) 4.../ZP 4...	6												
ZTD 6/ZTL 6	6												
ZTR 2,5.../ZDTR 2,5.../ZDL 2,5...	5												

IDC terminal blocks

IDU (IPE 1,5) N.../ITR 1,5 N.../IDK 1,5 N(PE)...	5												
IDU (IPE) 2,5 N.../ITR 2,5 N...	6												
IT 1,5.../IEK 1,5 N (PE).../IAK 1,5 N.../IIK 1,5 N...	5												

Push-in connection terminal blocks

PDL 4...	5												
PDU (PPE) 2,5/4.../PDK 2,5/4 (PE)...	5												
PDU (PPE) 6/10.../PDU (PPE) 16.../PEI 16...	8												
PNT 2,5/4	5												
PNT 6/10/16	8												

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Wieland

							
		UC3-TM 5	UC3-TM 6	UC3-TM 8	UCT3-TM 5	UCT3-TM 6	
UniCard, white		0822369	0822385	0822408	0829251	0829252	
Pitch		5	6	8	5	6	
Screw connection terminal blocks							
9700 A/5...	5						
9700 A/6...	6						
9700 A/8...	8						
9700 A/10...	10						
9700 A/12...	12						
9700 A/16...	16						
9700 A/6 ETK...	6						
9700 A/8 ETK...	8						
9700 A/10 ETK...	10						
WK(M) 2,5...	5						
WK 4..., WKI 4..., WKM 4...	6						
WK 6...	8						
WKN 10..., WKI 10...	10						
WKN 16..., WKI 16...	12						
WKN 35..., WKI 35...	16						
WKN 70...	24						
WKN 70...	28						
9785 U/..., 9786 U/...	12						

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

											
		UC-TM 4	UC-TMF 4	UCT-TM 4	UCT-TMF 4	UC3-TM 5	UC3-TM 6	UC3-TM 8	UCT3-TM 5	UCT3-TM 6	US-TMF 100
UniCard, white		0818111	0818166	0828732	0828742	0822369	0822385	0822408	0829251	0829252	0829260

Pitch	4	4	4	4	5	6	8	5	6	
-------	---	---	---	---	---	---	---	---	---	--

Spring-cage connection terminal blocks

WKF 1,5...	4										
WKF 1,5 KOI..., WKF 1,5 KOA...	5										
WK(I)F 2,5..., WKFN 2,5...	5										
WKF 4..., WKFN 4...	6										
WKF 6...	8										
WKF 10...	10										
WK(I)F 16...	12										
WKF 35...	16										

Fast connection terminal blocks

WKC 1...	5										
WKC 2,5...	6										
WKF 16...WKC	12										

Marking and labeling - MARKING system

Terminal marking

Terminal marking for CONTA-CLIP

												
		UC1-TM 5	UC1-TM 6	UC1-TM 8	UCT1-TM 5	UCT1-TM 6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UCT1-TMF 5	UCT1-TMF 6	
UniCard, white		0821784	0821247	0821739	0829482	0829483	0821360	0821425	0821483	0821548	0829237	0829243
Pitch		5	6	8	5	6	4	5	6	8	5	6

Spring-cage connection terminal blocks

Z(S)RK 2,5..., ZSL 2,5...	5											
ZRK 4..., ZSL 4...	6											
ZRK (ZSL) 6..., ZRK (ZSL) 10..., ZRK (ZSL) 16...	8											
ZRKD 2,5..., ZSLD 2,5...	5											
ZIKD 2,5..., ZVMAK 2,5...	5											
ZTRK 2,5...	5											
ZIZA 1,5...	5											
ZS...	5											

Push-in connection terminal blocks

FRK 1,5.../FSL 1,5...	4											
FRK 2,5.../FSL 2,5...	5											
FRK 4.../FSL 2,5...	6											
FRKD 2,5.../FSLD 2,5...	5											
FDLIS 2,5...	5											
FTRK 2,5...	5											
HSK...	8											

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

												
UniCard, white		UC1-TM 5	UC1-TM 6	UC1-TM 8	UCT1-TM 5	UCT1-TM 6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UC1-TMF 8	UCT1-TMF 5	UCT1-TMF 6
		0821784	0821247	0821739	0829482	0829483	0821360	0821425	0821483	0821548	0829237	0829243
Pitch		5	6	8	5	6	4	5	6	8	5	6
Screw connection terminal blocks												
RK 1,5-4...	6											
RK 2,5...	5											
RK 2,5-4...	6											
RK 6-10.../16.../35...	8											
RK 50...-RK 240...	8											
SL...	5											
RKD 2,5...	5											
RKD 4...	6											
DLI 2,5..., VMAK 2,5...	6											
IK (D) 2,5...	5											
TRK 1,5...	5											
TK.../STK...	8											
PTK...	8											
SIK 10...	8											
STK...	6											
SK...	8											
TSK 2,5	5											
FF.../SF...	6											
DLIS.../DLI...	6											
NT...	6											
RKA 2,5...	5											
RKA 4...	6											
RKA 10...	8											
RKB 4...	5											
KBL 2,5...	5											
KBL 2,5-4...	6											
KBL 6-10...	8											

Marking and labeling - MARKING system

Terminal marking

Terminal marking for ABB (entrelec)



		UCT6M-TM 5	UCT6M-TM 6	UCT6M-TM 8
UniCard, white		0830756	0830757	0830758
	Pitch	5	6	8
SNK series				
ZS4...	5.2			
ZS6...	6			
ZS10...	8			
ZS16...	10			
ZS35...	16			
ZS70...	22			
ZS95...	26			
ZS4-S-R...	6			
ZS4-S-R3...	8			
ZS4-S-T2-R...	6			
ZS4-SP-R...	6			
ZS4-SP-T2-R...	6			
ZS4-SF...	6			
ZS4-SF1...	8			
BAM3	10			
CS-R1	3			
TCS...	5.2			
PG5...	5.2			

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

							
		UC2F-TM 5 UCT6R-TM 5	UC2F-TM 6 UCT6R-TM 6	UC2F-TM 8 UCT6R-TM 8	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6
UniCard, white		0822187 0830753	0822194 0830754	0822204 0830755	0821360	0821425	0821483

	Pitch	5	6	8	4	5	6
--	-------	---	---	---	---	---	---

Screw connection terminal blocks

M(A) 2,5/5...	5						
M 4/6...	6						
M 6/8	8						
M 10/10, M 16/12, M 35/16, M 70/22, M 95/22	8						
D 150/31..., D 240/36...	8						
D 4/6 NTLP	6						
MA 2,5/5.NT	5						
M 4/6.NT	6						
M 6/8.NT	8						
M 10/10.NT, M 16/12.NT, M 35/16.	8						

Spring-cage connection terminal blocks

D 1,5/4... 2 L, D 1,5/4.../4 L	4						
D 2,5/5... 2 L, D 2,5/5... 3 L, D 2,5/5... 4 L	5						
D 4/6... 2 L, D 4/6... 3 L, D 4/6... 4 L	6						
D 6/8... 2 L	8						
D 10/10... 2 L, D 16/12... 2 L, D 35/16... 2 L	8						
D 2,5/5.NT.L	5						
D 4/6.NT.L	6						
D 6/8.NL.L	8						
D 10/10.NZ.L., D 16/12.NT.L, D 35/16NT.L.	8						
D 2,5/5.N...	5						

IDC terminal blocks

D 1,5... ADO	5						
D 1,5/6... ADO	6						
D 2,5/8... ADO, D 4/8... ADO	8						
D 1,5/6.NT.ADO	6						
D 2,5/8.NT.ADO	8						
D 2,5/5... ADO	5						
D 4/6... ADO	6						
D 6/8... ADO, D 6/8.ADO3	8						

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Wago

											
		UC2-TM 4	UC2-TM 5	UC2-TM 6	UC2-TM 8	UCT2-TM 5/6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UC1-TMF 8	US2-TM 100/TMT 2
UniCard, white		0821713	0821690	0821674	0821755	0829249	0821360	0821425	0821483	0821548	0829268/0802683
Pitch		4	5	6	8	5/6	4	5	6	8	
Spring-cage connection terminal blocks											
2001...	4										
2002..., 2003...	5										
2004..., 2005..., 2006...	6										
2010..., 2016...	8										
261..., 264...	6										
270...	5										
279...	4										
280...	5										
280-8...	5										
281...	6										
282..., 283..., 284..., 285...	8										
290...	5										
727...	6										
769...	5										
775..., 776..., 777...	6										
780...	5										
781...	6										
782..., 783..., 784..., 785...	8										
869..., 870..., 880...	5										

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

Terminal marking for Cabur

		UCT5-TM 5	UCT5-TM 6
UniCard, white		0828750	0828752
	Pitch	5	6
Screw connection terminal blocks			
CBD.2	5.5		
CBD.4	6.5		
CBD.6	8		
CBD.10	10		
CBD.16	12		
CBD.35	16		
CBD.50	18		
CBD.70	20.5		
AFO.2/1+2, AFO.2/2+2	6.5		
CBC.2	5		
CBC.4	6		
CBC.6	8		
CBC.16	12		
CBC.35	16		
GPA.70	20.5		
GPA.95	26		
GPA.150	31		
GPA.240	37		
TE.6	8		
TE.10	10		
TE.16	12		
TE.35	16		
TED.4	6.5		
TEO.2	5.5		
TEO.4	6.5		
TEC.6	8		
TEC.10	10		
TEC.16	12		
TEC.35	16		
TEC.70	20.5		
CBE.2, CBR.2, CVF.2	5		
CVF.4, DAS.4	6		
DBC.2	5		

 The pitch of the terminal block corresponds to the width of the label

 The pitch of the terminal block is greater than the width of the label

		UCT5-TM 5	UCT5-TM 6
UniCard, white		0828750	0828752
	Pitch	5	6
Screw connection terminal blocks			
DSFA.4, DSS.4	6		
EDM.2, TC/DIN, TC/PO	5.5		
EDM.4, FDP.2, FFS.4, FVS.4	6.5		
EDM.6	8		
EDM.10, SFR.6	10		
EDM.16, FPC.10, FPL.10	12		
EDM.25	16		
EDM.35	18.5		
EDM.70	21		
MPFA.4, MPS.4, RP.4	6		
MPS.2/SV, MPS.2/SW, MPS.2/SWP	5.5		
PDF.2, SCB.4	6.5		
RN.2, TR.2	5		
TR.4	7.3		
SCB.6, SFO.4, SFR.4, SV.6	8		
SV.2	5.5		
SV.4	7		
SV.10	10.5		
TDE.2, TLD.2, TLE.2, TLS.2	6.2		
VPC.2, VPD.2	5.08		

Spring-cage connection terminal blocks			
HCD.1	5.08		

Push-in connection terminal blocks			
NCS, NCV	6.2		

Marking and labeling - MARKING system

Terminal marking

Terminal marking for Klemmsan

												
												
UniCard, white	UC1U-TM 5	UC1-TM 5	UC1-TM 6	UC1-TM 8	UCT1-TM 5	UCT1-TM 6	UC1-TMF 4	UC1-TMF 5	UC1-TMF 6	UC1-TMF 8	UCT1-TMF 5	UCT1-TMF 6
	0821302	0821784	0821247	0821739	0829482	0829483	0821360	0821425	0821483	0821548	0829237	0829243
Pitch	5	5	6	8	5	6	4	5	6	8	5	6

Screw connection terminal blocks

AVK 2,5/PEK 2,5 K/WGT 2,5	5											
AVK 4.../AVK 2,5/4T/PEK 2,5/PEK 4/WGT 4	6											
AVK 6-240/ PEK 6-35	8											
AVK 6/10T-16/35T// WGT, 6/WGT 10	8											
PIK 2,5...	5											
PIK 4...	6											
PIK 3...	6											
ASK 2	8											
ASK 3	6											
ASK 4/AVK 4 FS	8											
ASK 4S/ASK 4 LD	6											
WGO...	8											
AYK 4...	6											
AYK 10...	8											
MVK 2,5 (T)	5											
MVK 4 (T)	6											

Spring-cage connection terminal blocks

YBK 2,5 (T)	5											
YBK 4 (T)	6											
YBK 6 (T)	8											
YBK 10 (T)	8											
MYK 2,5 (T).../MYP- PK 2,5...	5											
YBK 2,5 F.../YBK 3...	5											
YBK 4...	6											
YBK S.../YBK I...	8											
YBK 2,5 A.../YBK 2,5 E.../YB K 2,5C...	5											
PCY 2,5...	5											

The pitch of the terminal block corresponds to the width of the label

The pitch of the terminal block is greater than the width of the label

Terminal marking for Legrand



		UC3-TM 5	UC3-TM 6	UC3-TM 8
UniCard, white		0822369	0822385	0822408

	Pitch	5	6	8
Screw connection terminal blocks, Viking 2				
39060	5			
39061-39068	6			
39070	6			
39077	5			
39078, 39080, 39082	6			
39084, 39085	6			
39300	5			
39301-39305	6			
39307	6			
39370	5			
39371, 39372, 39374	6			
39376, 39378	6			

Spring-cage connection terminal blocks, Viking 3				
39601, 39602	5			
39604	6			
39605	8			
39606, 39607	8			
39608	6			
39627	5			
39628, 39636	6			
39611, 39612	5			
39614	6			
39615	8			
39616, 39617	8			
39618, 39646	6			
39621	5			
39624	6			
39625	8			
39626, 39629	8			
39622	5			
39630, 39666	6			